

2024 1 Tier Standard - AmeriHealth Caritas VIP Care

2024 Member Formulary

Formulary ID 24423

CURRENT AS OF 6/1/2024

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Analgesics - Treatment Of Pain | | |
| Analgesics | | |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i> | 1 | PA; MME |
| <i>bac oral tablet 50-325-40 mg</i> | 1 | PA |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i> | 1 | PA |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i> | 1 | PA; MME |
| <i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i> | 1 | PA |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i> | 1 | PA |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i> | 1 | PA; MME |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> | 1 | PA |
| <i>nalbuphine hcl injection solution 10 mg/ml</i> | 1 | MME |
| Nonsteroidal Anti-inflammatory Drugs | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> | 1 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | |
| <i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i> | 1 | |
| <i>diclofenac sodium external gel 1 %, 3 %</i> | 1 | |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>diflunisal oral tablet 500 mg</i> | 1 | |
| <i>ec-naproxen oral tablet delayed release 375 mg, 500 mg</i> | 1 | |
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 1 | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>etodolac oral tablet 400 mg, 500 mg</i> | 1 | |
| <i>flurbiprofen oral tablet 100 mg</i> | 1 | |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>ibuprofen oral suspension 100 mg/5ml</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin er oral capsule extended release 75 mg</i> | 1 | PA |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | 1 | PA |
| <i>ketorolac tromethamine oral tablet 10 mg</i> | 1 | PA; QL (20 EA per 30 days) |
| <i>meclofenamate sodium oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>naproxen oral suspension 125 mg/5ml</i> | 1 | |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i> | 1 | |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i> | 1 | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | 1 | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 1 | |
| Opioid Analgesics, Long-acting | | |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 1 | QL (4 EA per 28 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr</i> | 1 | PA; MME |
| <i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr</i> | 1 | MME; QL (10 EA per 30 days) |
| <i>methadone hcl oral solution 10 mg/5ml</i> | 1 | MME; QL (1200 ML per 30 days) |
| <i>methadone hcl oral solution 5 mg/5ml</i> | 1 | MME; QL (2400 ML per 30 days) |
| <i>methadone hcl oral tablet 10 mg</i> | 1 | PA; MME |
| <i>methadone hcl oral tablet 5 mg</i> | 1 | MME; QL (180 EA per 30 days) |
| <i>morphine sulfate er oral tablet extended release 100 mg, 200 mg</i> | 1 | PA; MME |
| <i>morphine sulfate er oral tablet extended release 15 mg, 30 mg, 60 mg</i> | 1 | MME; QL (60 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>oxycodone hcl er oral tablet er 12 hour abuse-deterrent 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | PA; MME |
| Opioid Analgesics, Short-acting | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml</i> | 1 | MME |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i> | 1 | MME |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i> | 1 | MME; QL (5 ML per 30 days) |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | MME |
| <i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 1 | PA; MME; QL (120 EA per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | MME |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 1 | MME |
| <i>hydromorphone hcl oral tablet 2 mg, 4 mg, 8 mg</i> | 1 | MME; QL (120 EA per 30 days) |
| <i>hydromorphone hcl pf injection solution 1 mg/ml, 10 mg/ml, 4 mg/ml, 50 mg/5ml, 500 mg/50ml</i> | 1 | MME |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml, 20 mg/ml</i> | 1 | MME; QL (240 ML per 30 days) |
| <i>morphine sulfate oral tablet 15 mg, 30 mg</i> | 1 | MME; QL (120 EA per 30 days) |
| <i>oxycodone hcl oral solution 5 mg/5ml</i> | 1 | MME; QL (5400 ML per 30 days) |
| <i>oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> | 1 | MME; QL (120 EA per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | MME |
| <i>pentazocine-naloxone hcl oral tablet 50-0.5 mg</i> | 1 | PA; MME |
| <i>tramadol hcl oral tablet 100 mg</i> | 1 | MME; QL (120 EA per 30 days) |
| <i>tramadol hcl oral tablet 50 mg</i> | 1 | MME; QL (240 EA per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 1 | MME |
| Anesthetics - Local Treatment Of Pain | | |
| Local Anesthetics | | |
| <i>lidocaine external ointment 5 %</i> | 1 | |
| <i>lidocaine external patch 5 %</i> | 1 | PA; QL (90 EA per 30 days) |
| <i>lidocaine hcl external solution 4 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>lidocaine hcl urethral/mucosal external gel 2 %</i> | 1 | |
| <i>lidocaine hcl urethral/mucosal external prefilled syringe 2 %</i> | 1 | |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i> | 1 | |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i> | 1 | |
| ZTLIDO EXTERNAL PATCH 1.8 % | 1 | PA; QL (90 EA per 30 days) |
| Anti-Addiction/ Substance Abuse Treatment Agents - Treatment Of Substance Abuse Disorders | | |
| Alcohol Deterrents/Anti-craving | | |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i> | 1 | |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 1 | |
| Opioid Dependence | | |
| <i>buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg</i> | 1 | |
| <i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>buprenorphine hcl-naloxone hcl sublingual film 2-0.5 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>buprenorphine hcl-naloxone hcl sublingual film 4-1 mg, 8-2 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i> | 1 | |
| LUCEMYRA ORAL TABLET 0.18 MG | 1 | PA; QL (224 EA per 14 days) |
| <i>naltrexone hcl oral tablet 50 mg</i> | 1 | |
| Opioid Reversal Agents | | |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i> | 1 | |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i> | 1 | |
| <i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i> | 1 | |
| <i>naloxone hcl nasal liquid 4 mg/0.1ml</i> | 1 | |
| Smoking Cessation Agents | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i> | 1 | |
| NICOTROL INHALATION INHALER 10 MG | 1 | |
| NICOTROL NS NASAL SOLUTION 10 MG/ML | 1 | |
| <i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42</i> | 1 | QL (56 EA per 28 days) |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> | 1 | QL (56 EA per 28 days) |
| <i>varenicline tartrate(continue) oral tablet 1 mg</i> | 1 | QL (56 EA per 28 days) |
| Antibacterials - Treatment Of Bacterial Infections | | |
| Aminoglycosides | | |
| <i>amikacin sulfate injection solution 500 mg/2ml</i> | 1 | |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%</i> | 1 | |
| <i>gentamicin sulfate injection solution 40 mg/ml</i> | 1 | |
| <i>neomycin sulfate oral tablet 500 mg</i> | 1 | |
| <i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i> | 1 | |
| <i>tobramycin sulfate injection solution 1.2 gm/30ml, 10 mg/ml, 2 gm/50ml, 80 mg/2ml</i> | 1 | |
| <i>tobramycin sulfate injection solution reconstituted 1.2 gm</i> | 1 | |
| Antibacterials, Other | | |
| <i>aztreonam injection solution reconstituted 1 gm, 2 gm</i> | 1 | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> | 1 | |
| <i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i> | 1 | |
| <i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i> | 1 | |
| <i>clindamycin phosphate in nacl intravenous solution 300-0.9 mg/50ml-%, 600-0.9 mg/50ml-%, 900-0.9 mg/50ml-%</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>clindamycin phosphate injection solution 300 mg/2ml, 900 mg/6ml</i> | 1 | |
| <i>clindamycin phosphate vaginal cream 2 %</i> | 1 | |
| <i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i> | 1 | |
| <i>daptomycin intravenous solution reconstituted 350 mg, 500 mg</i> | 1 | |
| <i>linezolid in sodium chloride intravenous solution 600-0.9 mg/300ml-%</i> | 1 | |
| <i>linezolid intravenous solution 600 mg/300ml</i> | 1 | |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i> | 1 | |
| <i>linezolid oral tablet 600 mg</i> | 1 | |
| <i>methenamine hippurate oral tablet 1 gm</i> | 1 | |
| <i>metronidazole intravenous solution 500 mg/100ml</i> | 1 | |
| <i>metronidazole oral capsule 375 mg</i> | 1 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>metronidazole vaginal gel 0.75 %</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i> | 1 | |
| <i>polymyxin b sulfate injection solution reconstituted 500000 unit</i> | 1 | |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 100 gm, 5 gm, 500 mg, 750 mg</i> | 1 | |
| <i>vancomycin hcl oral capsule 125 mg, 250 mg</i> | 1 | |
| Beta-lactam, Cephalosporins | | |
| <i>cefaclor er oral tablet extended release 12 hour 500 mg</i> | 1 | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cefadroxil oral capsule 500 mg</i> | 1 | |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i> | 1 | |
| <i>cefadroxil oral tablet 1 gm</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cefazolin sodium injection solution reconstituted 1 gm, 2 gm, 3 gm, 500 mg</i> | 1 | |
| <i>cefazolin sodium intravenous solution reconstituted 1 gm, 2 gm, 3 gm</i> | 1 | |
| <i>cefazolin sodium-dextrose intravenous solution 1-4 gm/50ml-%</i> | 1 | |
| <i>cefazolin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml)</i> | 1 | |
| <i>cefdinir oral capsule 300 mg</i> | 1 | |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 1 | |
| <i>cefepime hcl injection solution reconstituted 1 gm</i> | 1 | |
| <i>cefepime hcl intravenous solution 1 gm/50ml, 2 gm/100ml</i> | 1 | |
| <i>cefepime hcl intravenous solution reconstituted 2 gm</i> | 1 | |
| <i>cefepime-dextrose intravenous solution reconstituted 1-5 gm-%(50ml), 2-5 gm-%(50ml)</i> | 1 | |
| <i>cefixime oral capsule 400 mg</i> | 1 | |
| <i>cefotaxime sodium injection solution reconstituted 1 gm</i> | 1 | |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i> | 1 | |
| <i>cefoxitin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml), 2-2.2 gm-%(50ml)</i> | 1 | |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i> | 1 | |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i> | 1 | |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 1 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>ceftazidime and dextrose intravenous solution reconstituted 1-5 gm-%(50ml), 2-5 gm-%(50ml)</i> | 1 | |
| <i>ceftazidime injection solution reconstituted 1 gm, 6 gm</i> | 1 | |
| <i>ceftazidime intravenous solution reconstituted 2 gm</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ceftriaxone sodium in dextrose intravenous solution 20 mg/ml, 40 mg/ml</i> | 1 | |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 100 gm, 2 gm, 250 mg, 500 mg</i> | 1 | |
| <i>ceftriaxone sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i> | 1 | |
| <i>ceftriaxone sodium-dextrose intravenous solution reconstituted 1-3.74 gm-%(50ml), 2-2.22 gm-%(50ml)</i> | 1 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>cefuroxime sodium injection solution reconstituted 750 mg</i> | 1 | |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 1 | |
| <i>cephalexin oral tablet 250 mg, 500 mg</i> | 1 | |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG | 1 | PA |
| Beta-lactam, Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 1 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i> | 1 | |
| <i>ampicillin oral capsule 500 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg</i> | 1 | |
| <i>ampicillin sodium intravenous solution reconstituted 1 gm, 10 gm</i> | 1 | |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i> | 1 | |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm</i> | 1 | |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML | 1 | |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>nafcillin sodium in dextrose intravenous solution 1 gm/50ml, 2 gm/100ml</i> | 1 | |
| <i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i> | 1 | |
| <i>nafcillin sodium intravenous solution reconstituted 2 gm</i> | 1 | |
| <i>penicillin g procaine intramuscular suspension 600000 unit/ml</i> | 1 | |
| <i>penicillin g sodium injection solution reconstituted 5000000 unit</i> | 1 | |
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i> | 1 | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3-0.375 gm, 3.375 (3-0.375) gm, 4-0.5 gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm</i> | 1 | |
| Carbapenems | | |
| <i>ertapenem sodium injection solution reconstituted 1 gm</i> | 1 | |
| <i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i> | 1 | |
| <i>meropenem intravenous solution reconstituted 1 gm, 2 gm, 500 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>meropenem-sodium chloride intravenous solution reconstituted 1 gm/50ml, 500 mg/50ml</i> | 1 | |
| Macrolides | | |
| <i>azithromycin intravenous solution reconstituted 500 mg</i> | 1 | |
| <i>azithromycin oral packet 1 gm</i> | 1 | |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i> | 1 | |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i> | 1 | |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 1 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 1 | |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML | 1 | PA |
| DIFICID ORAL TABLET 200 MG | 1 | PA |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | 1 | |
| <i>erythrocin stearate oral tablet 250 mg</i> | 1 | |
| <i>erythromycin base oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml</i> | 1 | |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i> | 1 | |
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i> | 1 | |
| <i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i> | 1 | |
| <i>levofloxacin intravenous solution 25 mg/ml</i> | 1 | |
| <i>levofloxacin oral solution 25 mg/ml</i> | 1 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>moxifloxacin hcl in nacl intravenous solution 400 mg/250ml</i> | 1 | |
| <i>moxifloxacin hcl intravenous solution 400 mg/250ml</i> | 1 | |
| <i>moxifloxacin hcl oral tablet 400 mg</i> | 1 | |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | 1 | |
| Sulfonamides | | |
| <i>sulfacetamide sodium (acne) external lotion 10 %</i> | 1 | |
| <i>sulfadiazine oral tablet 500 mg</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i> | 1 | |
| Tetracyclines | | |
| <i>doxy 100 intravenous solution reconstituted 100 mg</i> | 1 | |
| <i>doxycycline hyclate intravenous solution reconstituted 100 mg</i> | 1 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 1 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i> | 1 | |
| Anticonvulsants - Treatment Of Seizures | | |
| Anticonvulsants, Other | | |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 1 | |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 1 | |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG | 1 | PA |
| DIACOMIT ORAL PACKET 250 MG, 500 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i> | 1 | |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i> | 1 | |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i> | 1 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 1 | PA |
| EPRONTIA ORAL SOLUTION 25 MG/ML | 1 | PA |
| <i>felbamate oral suspension 600 mg/5ml</i> | 1 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | 1 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 1 | PA |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 1 | ST; QL (720 ML per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 1 | ST; QL (30 EA per 30 days) |
| <i>lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 1 | |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 1 | |
| <i>lamotrigine oral tablet chewable 25 mg, 5 mg</i> | 1 | |
| <i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i> | 1 | |
| <i>lamotrigine starter kit-green oral kit 84 x 25 mg & 14x100 mg</i> | 1 | |
| <i>lamotrigine starter kit-orange oral kit 42 x 25 mg & 7 x 100 mg</i> | 1 | |
| <i>levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i> | 1 | |
| <i>levetiracetam oral solution 100 mg/ml</i> | 1 | |
| <i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>roweepra oral tablet 500 mg</i> | 1 | |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG | 1 | ST; QL (60 EA per 30 days) |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 750 MG | 1 | ST; QL (120 EA per 30 days) |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg</i> | 1 | |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>valproic acid oral capsule 250 mg</i> | 1 | |
| <i>valproic acid oral solution 250 mg/5ml</i> | 1 | |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG | 1 | ST |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG | 1 | ST |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG | 1 | ST |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG, 14 X 150 MG & 14 X 200 MG, 14 X 50 MG & 14 X 100 MG | 1 | ST |
| Calcium Channel Modifying Agents | | |
| <i>ethosuximide oral capsule 250 mg</i> | 1 | |
| <i>ethosuximide oral solution 250 mg/5ml</i> | 1 | |
| <i>methsuximide oral capsule 300 mg</i> | 1 | |
| Gamma-aminobutyric Acid (GABA) Augmenting Agents | | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | 1 | QL (480 ML per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> | 1 | QL (60 EA per 30 days) |
| DIASTAT ACUDIAL RECTAL GEL 10 MG | 1 | |
| <i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i> | 1 | |
| <i>gabapentin oral capsule 100 mg, 400 mg</i> | 1 | QL (270 EA per 30 days) |
| <i>gabapentin oral capsule 300 mg</i> | 1 | QL (360 EA per 30 days) |
| <i>gabapentin oral solution 250 mg/5ml, 300 mg/6ml</i> | 1 | QL (2160 ML per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> | 1 | QL (120 EA per 30 days) |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML | 1 | PA; QL (10 EA per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5ml</i> | 1 | PA |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1 | PA |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> | 1 | QL (900 ML per 30 days) |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | 1 | ST; QL (60 EA per 30 days) |
| <i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> | 1 | |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML | 1 | PA; QL (10 EA per 30 days) |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML | 1 | PA; QL (10 EA per 30 days) |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML | 1 | PA; QL (10 EA per 30 days) |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML | 1 | PA; QL (10 EA per 30 days) |
| <i>vigabatrin oral packet 500 mg</i> | 1 | PA; QL (180 EA per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> | 1 | PA; QL (180 EA per 30 days) |
| ZTALMY ORAL SUSPENSION 50 MG/ML | 1 | PA |
| Sodium Channel Agents | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 1 | QL (30 EA per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 1 | QL (60 EA per 30 days) |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>carbamazepine oral suspension 100 mg/5ml</i> | 1 | |
| <i>carbamazepine oral tablet 200 mg</i> | 1 | |
| <i>carbamazepine oral tablet chewable 100 mg</i> | 1 | |
| DILANTIN ORAL CAPSULE 30 MG | 1 | |
| <i>epitol oral tablet 200 mg</i> | 1 | |
| <i>lacosamide oral solution 10 mg/ml</i> | 1 | QL (1200 ML per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i> | 1 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | 1 | |
| <i>phenytoin infatabs oral tablet chewable 50 mg</i> | 1 | |
| <i>phenytoin oral suspension 100 mg/4ml, 125 mg/5ml</i> | 1 | |
| <i>phenytoin oral tablet chewable 50 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>rufinamide oral suspension 40 mg/ml</i> | 1 | PA; QL (2400 ML per 30 days) |
| <i>rufinamide oral tablet 200 mg, 400 mg</i> | 1 | PA; QL (240 EA per 30 days) |
| ZONISADE ORAL SUSPENSION 100 MG/5ML | 1 | ST |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| Antidementia Agents - Management Of Dementia | | |
| Cholinesterase Inhibitors | | |
| <i>donepezil hcl oral tablet 10 mg, 23 mg, 5 mg</i> | 1 | |
| <i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i> | 1 | |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i> | 1 | |
| <i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i> | 1 | |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 1 | |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i> | 1 | ST |
| N-methyl-D-aspartate (NMDA) Receptor Antagonist | | |
| <i>memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg, 5 mg</i> | 1 | |
| Antidepressants - Treatment Of Depression | | |
| Antidepressants, Other | | |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG | 1 | PA |
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg</i> | 1 | |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg, 450 mg</i> | 1 | |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i> | 1 | |
| <i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i> | 1 | |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 1 | PA |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG | 1 | PA |
| Monoamine Oxidase Inhibitors | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR | 1 | PA |
| MARPLAN ORAL TABLET 10 MG | 1 | |
| <i>phenelzine sulfate oral tablet 15 mg</i> | 1 | |
| <i>tranylcypromine sulfate oral tablet 10 mg</i> | 1 | |
| SSRI/SNRI (Selective Serotonin Reuptake Inhibitor/Serotonin and Norepinephrine Reuptake Inhibitor) | | |
| <i>citalopram hydrobromide oral solution 10 mg/5ml</i> | 1 | |
| <i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>escitalopram oxalate oral solution 5 mg/5ml</i> | 1 | |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG | 1 | ST |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG | 1 | ST |
| <i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fluoxetine hcl oral capsule delayed release 90 mg</i> | 1 | |
| <i>fluoxetine hcl oral solution 20 mg/5ml</i> | 1 | |
| <i>fluoxetine hcl oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 1 | |
| <i>paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg</i> | 1 | |
| <i>paroxetine hcl oral suspension 10 mg/5ml</i> | 1 | |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>sertraline hcl oral concentrate 20 mg/ml</i> | 1 | |
| <i>sertraline hcl oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>trazodone hcl oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 1 | |
| <i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg</i> | 1 | |
| <i>venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 225 mg, 37.5 mg, 75 mg</i> | 1 | |
| <i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1 | |
| <i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| Tricyclics | | |
| <i>amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | PA |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 1 | PA |
| <i>clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg</i> | 1 | PA |
| <i>desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | PA |
| <i>doxepin hcl oral concentrate 10 mg/ml</i> | 1 | PA |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | PA |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i> | 1 | PA |
| <i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>nortriptyline hcl oral solution 10 mg/5ml</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>protriptyline hcl oral tablet 10 mg, 5 mg</i> | 1 | PA |
| <i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | PA |
| Antiemetics - Treatment Of Vomiting Or Nausea | | |
| Antiemetics, Other | | |
| <i>chlorpromazine hcl oral concentrate 100 mg/ml, 30 mg/ml</i> | 1 | |
| <i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i> | 1 | |
| <i>metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml</i> | 1 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>prochlorperazine rectal suppository 25 mg</i> | 1 | |
| <i>promethazine hcl oral solution 6.25 mg/5ml</i> | 1 | PA |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | PA |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i> | 1 | PA |
| <i>promethegan rectal suppository 50 mg</i> | 1 | PA |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i> | 1 | |
| <i>trimethobenzamide hcl oral capsule 300 mg</i> | 1 | |
| Emetogenic Therapy Adjuncts | | |
| <i>aprepitant oral 80 & 125 mg</i> | 1 | B/D |
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 & 125 mg, 80 mg</i> | 1 | B/D |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> | 1 | B/D |
| EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML | 1 | B/D |
| <i>granisetron hcl oral tablet 1 mg</i> | 1 | B/D |
| <i>ondansetron hcl oral solution 4 mg/5ml</i> | 1 | B/D |
| <i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i> | 1 | B/D |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i> | 1 | B/D |
| Antifungals - Treatment Of Fungal Or Yeast Infections | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 1 | B/D |
| <i>amphotericin b intravenous solution reconstituted 50 mg</i> | 1 | B/D |
| <i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i> | 1 | B/D |
| <i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i> | 1 | PA |
| <i>clotrimazole external cream 1 %</i> | 1 | |
| <i>clotrimazole external solution 1 %</i> | 1 | |
| <i>clotrimazole mouth/throat troche 10 mg</i> | 1 | |
| <i>econazole nitrate external cream 1 %</i> | 1 | |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i> | 1 | |
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i> | 1 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 1 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | 1 | PA |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i> | 1 | |
| <i>itraconazole oral capsule 100 mg</i> | 1 | |
| <i>itraconazole oral solution 10 mg/ml</i> | 1 | |
| <i>ketoconazole external cream 2 %</i> | 1 | |
| <i>ketoconazole external shampoo 2 %</i> | 1 | |
| <i>ketoconazole oral tablet 200 mg</i> | 1 | |
| <i>micafungin sodium intravenous solution reconstituted 100 mg, 50 mg</i> | 1 | |
| <i>nystatin external cream 100000 unit/gm</i> | 1 | |
| <i>nystatin external ointment 100000 unit/gm</i> | 1 | |
| <i>nystatin external powder 100000 unit/gm</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nystatin mouth/throat suspension 100000 unit/ml</i> | 1 | |
| <i>nystatin oral tablet 500000 unit</i> | 1 | |
| <i>posaconazole oral suspension 40 mg/ml</i> | 1 | PA |
| <i>posaconazole oral tablet delayed release 100 mg</i> | 1 | PA |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 1 | |
| <i>terconazole vaginal suppository 80 mg</i> | 1 | |
| <i>voriconazole intravenous solution reconstituted 200 mg</i> | 1 | PA |
| <i>voriconazole oral suspension reconstituted 40 mg/ml</i> | 1 | |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | 1 | |
| Antigout Agents - Treatment Or Prevention Of Gouty Arthritis | | |
| Antigout Agents | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>colchicine oral capsule 0.6 mg</i> | 1 | |
| <i>colchicine oral tablet 0.6 mg</i> | 1 | |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i> | 1 | |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | 1 | ST |
| <i>probenecid oral tablet 500 mg</i> | 1 | |
| Antimigraine Agents - Treatment Of Migraine Headaches | | |
| Antimigraine Agents | | |
| NURTEC ORAL TABLET DISPERSIBLE 75 MG | 1 | PA; QL (18 EA per 30 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 1 | PA; QL (16 EA per 30 days) |
| ZAVZPRET NASAL SOLUTION 10 MG/ACT | 1 | PA; QL (8 EA per 30 days) |
| Ergot Alkaloids | | |
| <i>dihydroergotamine mesylate nasal solution 4 mg/ml</i> | 1 | QL (8 ML per 30 days) |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i> | 1 | |
| Prophylactic | | |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 1 | PA |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML | 1 | PA |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML | 1 | PA |
| Serotonin (5-HT) Receptor Agonist | | |
| <i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i> | 1 | QL (12 EA per 30 days) |
| <i>rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg</i> | 1 | QL (12 EA per 30 days) |
| <i>sumatriptan nasal solution 20 mg/act, 5 mg/act</i> | 1 | QL (12 EA per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | QL (9 EA per 30 days) |
| <i>sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml, 6 mg/0.5ml</i> | 1 | QL (4 ML per 30 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i> | 1 | QL (4 ML per 30 days) |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i> | 1 | QL (4 ML per 30 days) |
| Antimyasthenic Agents - Treatment Of Myasthenia | | |
| Parasympathomimetics | | |
| <i>pyridostigmine bromide er oral tablet extended release 180 mg</i> | 1 | |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| Antimycobacterials - Treatment For Infections By Tuberculosis-Type Organisms | | |
| Antimycobacterials, Other | | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 1 | |
| <i>rifabutin oral capsule 150 mg</i> | 1 | |
| Antituberculars | | |
| <i>ethambutol hcl oral tablet 100 mg, 400 mg</i> | 1 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| PRETOMANID ORAL TABLET 200 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PRIFTIN ORAL TABLET 150 MG | 1 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 1 | |
| <i>rifampin intravenous solution reconstituted 600 mg</i> | 1 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 1 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 1 | PA |
| TRECTOR ORAL TABLET 250 MG | 1 | |
| Antineoplastics - Treatment Of Cancer | | |
| Alkylating Agents | | |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 1 | B/D |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 1 | B/D |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 1 | |
| LEUKERAN ORAL TABLET 2 MG | 1 | |
| MATULANE ORAL CAPSULE 50 MG | 1 | |
| VALCHLOR EXTERNAL GEL 0.016 % | 1 | PA |
| Antiandrogens | | |
| <i>abiraterone acetate oral tablet 250 mg, 500 mg</i> | 1 | PA |
| <i>bicalutamide oral tablet 50 mg</i> | 1 | |
| ERLEADA ORAL TABLET 240 MG, 60 MG | 1 | PA |
| <i>nilutamide oral tablet 150 mg</i> | 1 | PA |
| NUBEQA ORAL TABLET 300 MG | 1 | PA |
| XTANDI ORAL CAPSULE 40 MG | 1 | PA |
| XTANDI ORAL TABLET 40 MG, 80 MG | 1 | PA |
| YONSA ORAL TABLET 125 MG | 1 | PA |
| Antiangiogenic Agents | | |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> | 1 | PA |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 1 | PA |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 1 | PA |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 1 | PA |
| Antiestrogens/Modifiers | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SOLTAMOX ORAL SOLUTION 10 MG/5ML | 1 | PA |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>toremifene citrate oral tablet 60 mg</i> | 1 | PA |
| Antimetabolites | | |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 1 | |
| <i>hydroxyurea oral capsule 500 mg</i> | 1 | |
| INQOVI ORAL TABLET 35-100 MG | 1 | PA |
| <i>mercaptopurine oral tablet 50 mg</i> | 1 | |
| ONUREG ORAL TABLET 200 MG, 300 MG | 1 | PA |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML | 1 | PA |
| TABLOID ORAL TABLET 40 MG | 1 | PA |
| Antineoplastics, Other | | |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | 1 | PA |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML | 1 | PA |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 1 | PA |
| IWILFIN ORAL TABLET 192 MG | 1 | PA |
| KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 1 | PA |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 1 | PA |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 1 | PA |
| KRAZATI ORAL TABLET 200 MG | 1 | PA |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | 1 | PA |
| LUMAKRAS ORAL TABLET 120 MG, 320 MG | 1 | PA |
| LYSODREN ORAL TABLET 500 MG | 1 | |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 1 | PA |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | 1 | PA |
| ORSERDU ORAL TABLET 345 MG, 86 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| REZLIDHIA ORAL CAPSULE 150 MG | 1 | PA |
| RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5ML | 1 | PA |
| TIBSOVO ORAL TABLET 250 MG | 1 | PA |
| TICE BCG INTRAVESICAL SUSPENSION RECONSTITUTED 50 MG | 1 | |
| WELIREG ORAL TABLET 40 MG | 1 | PA |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 1 | PA |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | 1 | PA |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 1 | PA |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 1 | PA |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | 1 | PA |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 1 | PA |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 1 | PA |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 1 | PA |
| ZOLINZA ORAL CAPSULE 100 MG | 1 | PA |
| Aromatase Inhibitors, 3rd Generation | | |
| <i>anastrozole oral tablet 1 mg</i> | 1 | |
| <i>exemestane oral tablet 25 mg</i> | 1 | |
| <i>letrozole oral tablet 2.5 mg</i> | 1 | |
| Molecular Target Inhibitors | | |
| ALECENSA ORAL CAPSULE 150 MG | 1 | PA |
| ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG | 1 | PA |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG | 1 | PA |
| AUGTYRO ORAL CAPSULE 40 MG | 1 | PA |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG | 1 | PA |
| BOSULIF ORAL CAPSULE 100 MG, 50 MG | 1 | PA |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | 1 | PA |
| BRAFTOVI ORAL CAPSULE 75 MG | 1 | PA |
| BRUKINSA ORAL CAPSULE 80 MG | 1 | PA |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG | 1 | PA |
| CALQUENCE ORAL CAPSULE 100 MG | 1 | PA |
| CALQUENCE ORAL TABLET 100 MG | 1 | PA |
| CAPRELSA ORAL TABLET 100 MG, 300 MG | 1 | PA |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | 1 | PA |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | 1 | PA |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG | 1 | PA |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 1 | PA |
| COTELLIC ORAL TABLET 20 MG | 1 | PA |
| DAURISMO ORAL TABLET 100 MG, 25 MG | 1 | PA |
| ERIVEDGE ORAL CAPSULE 150 MG | 1 | PA |
| <i>erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg</i> | 1 | PA |
| <i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> | 1 | PA |
| <i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i> | 1 | PA |
| EXKIVITY ORAL CAPSULE 40 MG | 1 | PA |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 1 | PA |
| FRUZAQLA ORAL CAPSULE 1 MG, 5 MG | 1 | PA |
| GAVRETO ORAL CAPSULE 100 MG | 1 | PA |
| <i>gefitinib oral tablet 250 mg</i> | 1 | PA |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 1 | PA |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 1 | PA |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 1 | PA |
| <i>imatinib mesylate oral tablet 100 mg, 400 mg</i> | 1 | PA |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG | 1 | PA |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 1 | PA |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 1 | PA |
| INLYTA ORAL TABLET 1 MG, 5 MG | 1 | PA |
| INREBIC ORAL CAPSULE 100 MG | 1 | PA |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 1 | PA |
| JAYPIRCA ORAL TABLET 100 MG, 50 MG | 1 | PA |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 1 | PA |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 1 | PA |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 1 | PA |
| KOSELUGO ORAL CAPSULE 10 MG, 25 MG | 1 | PA |
| <i>lapatinib ditosylate oral tablet 250 mg</i> | 1 | PA |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG | 1 | PA |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG | 1 | PA |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG | 1 | PA |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 1 | PA |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG | 1 | PA |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 1 | PA |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG | 1 | PA |
| LORBRENA ORAL TABLET 100 MG, 25 MG | 1 | PA |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 1 | PA |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 1 | PA |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 1 | PA |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 1 | PA |
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML | 1 | PA |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG | 1 | PA |
| MEKTOVI ORAL TABLET 15 MG | 1 | PA |
| NERLYNX ORAL TABLET 40 MG | 1 | PA |
| ODOMZO ORAL CAPSULE 200 MG | 1 | PA |
| OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG | 1 | PA |
| <i>pazopanib hcl oral tablet 200 mg</i> | 1 | PA |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 1 | PA |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG | 1 | PA |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG | 1 | PA |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG | 1 | PA |
| QINLOCK ORAL TABLET 50 MG | 1 | PA |
| RETEVMO ORAL CAPSULE 40 MG, 80 MG | 1 | PA |
| ROZLYTREK ORAL CAPSULE 100 MG, 200 MG | 1 | PA |
| ROZLYTREK ORAL PACKET 50 MG | 1 | PA |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 1 | PA |
| RYDAPT ORAL CAPSULE 25 MG | 1 | PA |
| SCSEMBLIX ORAL TABLET 20 MG, 40 MG | 1 | PA |
| <i>sorafenib tosylate oral tablet 200 mg</i> | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG | 1 | PA |
| STIVARGA ORAL TABLET 40 MG | 1 | PA |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 1 | PA |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 1 | PA |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 1 | PA |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG | 1 | PA |
| TAGRISSE ORAL TABLET 40 MG, 80 MG | 1 | PA |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 1 | PA |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | 1 | PA |
| TAZVERIK ORAL TABLET 200 MG | 1 | PA |
| TEPMETKO ORAL TABLET 225 MG | 1 | PA |
| TRUQAP ORAL TABLET 160 MG, 200 MG | 1 | PA |
| TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG | 1 | PA |
| TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG | 1 | PA |
| TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG | 1 | PA |
| TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG | 1 | PA |
| TUKYSA ORAL TABLET 150 MG, 50 MG | 1 | PA |
| TURALIO ORAL CAPSULE 125 MG, 200 MG | 1 | PA |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | 1 | PA |
| VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG | 1 | PA |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG | 1 | PA |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 1 | PA |
| VIJOICE ORAL TABLET THERAPY PACK 125 MG, 200 & 50 MG, 50 MG | 1 | PA |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| VITRAKVI ORAL SOLUTION 20 MG/ML | 1 | PA |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 1 | PA |
| VONJO ORAL CAPSULE 100 MG | 1 | PA |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 1 | PA |
| XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG, 50 MG | 1 | PA |
| XOSPATA ORAL TABLET 40 MG | 1 | PA |
| ZEJULA ORAL CAPSULE 100 MG | 1 | PA |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | 1 | PA |
| ZELBORAF ORAL TABLET 240 MG | 1 | PA |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 1 | PA |
| ZYKADIA ORAL TABLET 150 MG | 1 | PA |
| Retinoids | | |
| <i>bexarotene external gel 1 %</i> | 1 | PA |
| <i>bexarotene oral capsule 75 mg</i> | 1 | PA |
| PANRETIN EXTERNAL GEL 0.1 % | 1 | PA |
| <i>tretinoin oral capsule 10 mg</i> | 1 | PA |
| Treatment Adjuncts | | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 1 | |
| MESNEX ORAL TABLET 400 MG | 1 | |
| Antiparasitics - Treatment Of Infections From Parasites | | |
| Anthelmintics | | |
| <i>albendazole oral tablet 200 mg</i> | 1 | |
| <i>ivermectin oral tablet 3 mg</i> | 1 | |
| <i>praziquantel oral tablet 600 mg</i> | 1 | |
| Antiprotozoals | | |
| <i>atovaquone oral suspension 750 mg/5ml</i> | 1 | |
| <i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i> | 1 | |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| COARTEM ORAL TABLET 20-120 MG | 1 | |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i> | 1 | |
| <i>mefloquine hcl oral tablet 250 mg</i> | 1 | |
| <i>nitazoxanide oral tablet 500 mg</i> | 1 | |
| <i>pentamidine isethionate inhalation solution reconstituted 300 mg</i> | 1 | B/D |
| <i>pentamidine isethionate injection solution reconstituted 300 mg</i> | 1 | PA |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i> | 1 | |
| <i>pyrimethamine oral tablet 25 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>quinine sulfate oral capsule 324 mg</i> | 1 | |
| Antiparkinson Agents - Treatment Of Parkinson's Disease | | |
| Anticholinergics | | |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i> | 1 | PA |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i> | 1 | PA |
| Antiparkinson Agents, Other | | |
| <i>amantadine hcl oral capsule 100 mg</i> | 1 | |
| <i>amantadine hcl oral solution 50 mg/5ml</i> | 1 | |
| <i>amantadine hcl oral tablet 100 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1 | |
| <i>entacapone oral tablet 200 mg</i> | 1 | |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 137 MG, 68.5 MG | 1 | PA |
| ONGENTYS ORAL CAPSULE 25 MG, 50 MG | 1 | ST |
| Dopamine Agonists | | |
| <i>apomorphine hcl subcutaneous solution cartridge 30 mg/3ml</i> | 1 | PA |
| <i>bromocriptine mesylate oral capsule 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>bromocriptine mesylate oral tablet 2.5 mg</i> | 1 | |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR | 1 | |
| <i>pramipexole dihydrochloride er oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> | 1 | |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | |
| <i>ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 1 | |
| <i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 1 | |
| Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors | | |
| <i>carbidopa oral tablet 25 mg</i> | 1 | |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25- 100 mg, 25-250 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet dispersible 10- 100 mg, 25-100 mg, 25-250 mg</i> | 1 | |
| Monoamine Oxidase B (MAO-B) Inhibitors | | |
| <i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i> | 1 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 1 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 1 | |
| Antipsychotics - Treatment Of Behavioral And Emotional Disorders | | |
| 1st Generation/Typical | | |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 1 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i> | 1 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii.
Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 1 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 1 | |
| <i>haloperidol lactate oral concentrate 10 mg/5ml, 2 mg/ml</i> | 1 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 1 | |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 1 | |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i> | 1 | |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| 2nd Generation/Atypical | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720 MG/2.4ML, 960 MG/3.2ML | 1 | PA |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG | 1 | QL (1 EA per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG | 1 | QL (1 EA per 28 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 1 | QL (750 ML per 30 days) |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i> | 1 | QL (60 EA per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML | 1 | PA |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML | 1 | PA; QL (3.9 ML per 56 days) |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 441 MG/1.6ML | 1 | PA; QL (1.6 ML per 28 days) |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 662 MG/2.4ML | 1 | PA; QL (2.4 ML per 28 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 882 MG/3.2ML | 1 | PA; QL (3.2 ML per 28 days) |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i> | 1 | QL (60 EA per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 1 | PA |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 1 | PA; QL (60 EA per 30 days) |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG | 1 | PA |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML | 1 | PA; QL (0.75 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 156 MG/ML | 1 | PA; QL (1 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 234 MG/1.5ML | 1 | PA; QL (1.5 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML | 1 | PA; QL (0.25 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 78 MG/0.5ML | 1 | PA; QL (0.5 ML per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML | 1 | PA; QL (0.88 ML per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 410 MG/1.32ML | 1 | PA; QL (1.32 ML per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML | 1 | PA; QL (1.75 ML per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML | 1 | PA; QL (2.63 ML per 84 days) |
| <i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>lurasidone hcl oral tablet 80 mg</i> | 1 | QL (60 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 1 | PA |
| NUPLAZID ORAL CAPSULE 34 MG | 1 | PA; QL (30 EA per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 1 | PA; QL (30 EA per 30 days) |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| <i>paliperidone er oral tablet extended release 24 hour 6 mg</i> | 1 | PA; QL (60 EA per 30 days) |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG | 1 | PA; QL (1 EA per 28 days) |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 300 mg, 400 mg, 50 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg, 300 mg, 400 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>quetiapine fumarate oral tablet 25 mg, 50 mg</i> | 1 | QL (90 EA per 30 days) |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | 1 | PA; QL (30 EA per 30 days) |
| <i>risperidone microspheres er intramuscular suspension reconstituted er 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 1 | PA; QL (2 EA per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> | 1 | QL (480 ML per 30 days) |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>risperidone oral tablet 3 mg, 4 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>risperidone oral tablet dispersible 3 mg, 4 mg</i> | 1 | QL (120 EA per 30 days) |
| RYKINDO INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25 MG, 37.5 MG, 50 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR | 1 | PA; QL (30 EA per 30 days) |
| UZEDY SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 100 MG/0.28ML, 125 MG/0.35ML, 150 MG/0.42ML, 200 MG/0.56ML, 250 MG/0.7ML, 50 MG/0.14ML, 75 MG/0.21ML | 1 | PA |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 1 | PA; QL (30 EA per 30 days) |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i> | 1 | QL (6 EA per 3 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG, 300 MG | 1 | PA; QL (2 EA per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 405 MG | 1 | PA; QL (1 EA per 28 days) |
| Treatment-Resistant | | |
| <i>clozapine oral tablet 100 mg</i> | 1 | QL (270 EA per 30 days) |
| <i>clozapine oral tablet 200 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>clozapine oral tablet 25 mg, 50 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>clozapine oral tablet dispersible 100 mg</i> | 1 | QL (270 EA per 30 days) |
| <i>clozapine oral tablet dispersible 12.5 mg</i> | 1 | |
| <i>clozapine oral tablet dispersible 150 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>clozapine oral tablet dispersible 200 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>clozapine oral tablet dispersible 25 mg</i> | 1 | QL (90 EA per 30 days) |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 1 | QL (540 ML per 30 days) |
| Antispasticity Agents - Treatment Of Muscle Spasms | | |
| Antispasticity Agents | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| Antivirals - Treatment Of Infections By Viruses | | |
| Anti-cytomegalovirus (CMV) Agents | | |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 1 | PA |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i> | 1 | |
| <i>valganciclovir hcl oral tablet 450 mg</i> | 1 | |
| Anti-hepatitis B (HBV) Agents | | |
| <i>adefovir dipivoxil oral tablet 10 mg</i> | 1 | QL (30 EA per 30 days) |
| BARACLUDGE ORAL SOLUTION 0.05 MG/ML | 1 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> | 1 | |
| EPIVIR HBV ORAL SOLUTION 5 MG/ML | 1 | |
| <i>lamivudine oral solution 10 mg/ml</i> | 1 | QL (960 ML per 30 days) |
| <i>lamivudine oral tablet 100 mg, 300 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>lamivudine oral tablet 150 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | 1 | QL (30 EA per 30 days) |
| VEMLIDY ORAL TABLET 25 MG | 1 | PA |
| VIREAD ORAL POWDER 40 MG/GM | 1 | QL (240 GM per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 1 | QL (30 EA per 30 days) |
| Anti-hepatitis C (HCV) Agents | | |
| MAVYRET ORAL PACKET 50-20 MG | 1 | PA |
| MAVYRET ORAL TABLET 100-40 MG | 1 | PA |
| <i>ribavirin oral capsule 200 mg</i> | 1 | |
| <i>ribavirin oral tablet 200 mg</i> | 1 | |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG | 1 | PA |
| VOSEVI ORAL TABLET 400-100-100 MG | 1 | PA |
| Antiherpetic Agents | | |
| <i>acyclovir oral capsule 200 mg</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5ml</i> | 1 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 1 | B/D |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>trifluridine ophthalmic solution 1 %</i> | 1 | |
| <i>valacyclovir hcl oral tablet 1 gm, 500 mg</i> | 1 | |
| Anti-HIV Agents, Integrase Inhibitors (INSTI) | | |
| ISENTRESS HD ORAL TABLET 600 MG | 1 | QL (60 EA per 30 days) |
| ISENTRESS ORAL PACKET 100 MG | 1 | QL (60 EA per 30 days) |
| ISENTRESS ORAL TABLET 400 MG | 1 | QL (120 EA per 30 days) |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG, 25 MG | 1 | QL (180 EA per 30 days) |
| TIVICAY ORAL TABLET 10 MG | 1 | QL (120 EA per 30 days) |
| TIVICAY ORAL TABLET 25 MG | 1 | QL (30 EA per 30 days) |
| TIVICAY ORAL TABLET 50 MG | 1 | QL (60 EA per 30 days) |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG | 1 | QL (180 EA per 30 days) |
| VOCABRIA ORAL TABLET 30 MG | 1 | QL (30 EA per 30 days) |
| Anti-HIV Agents, Non-nucleoside Reverse Transcriptase Inhibitors (NNRTI) | | |
| EDURANT ORAL TABLET 25 MG | 1 | QL (60 EA per 30 days) |
| <i>efavirenz oral capsule 200 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>efavirenz oral capsule 50 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>efavirenz oral tablet 600 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>etravirine oral tablet 100 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>etravirine oral tablet 200 mg</i> | 1 | QL (60 EA per 30 days) |
| INTELENCE ORAL TABLET 25 MG | 1 | QL (120 EA per 30 days) |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>nevirapine oral suspension 50 mg/5ml</i> | 1 | QL (1200 ML per 30 days) |
| <i>nevirapine oral tablet 200 mg</i> | 1 | QL (60 EA per 30 days) |
| PIFELTRO ORAL TABLET 100 MG | 1 | QL (30 EA per 30 days) |
| Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI) | | |
| <i>abacavir sulfate oral solution 20 mg/ml</i> | 1 | QL (960 ML per 30 days) |
| <i>abacavir sulfate oral tablet 300 mg</i> | 1 | QL (60 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i> | 1 | QL (30 EA per 30 days) |
| CIMDUO ORAL TABLET 300-300 MG | 1 | QL (30 EA per 30 days) |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 1 | QL (30 EA per 30 days) |
| <i>emtricitabine oral capsule 200 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> | 1 | QL (30 EA per 30 days) |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 1 | |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 1 | QL (60 EA per 30 days) |
| TRIZIVIR ORAL TABLET 300-150-300 MG | 1 | QL (60 EA per 30 days) |
| <i>zidovudine oral capsule 100 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>zidovudine oral syrup 50 mg/5ml</i> | 1 | QL (1920 ML per 30 days) |
| <i>zidovudine oral tablet 300 mg</i> | 1 | QL (60 EA per 30 days) |
| Anti-HIV Agents, Other | | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 1 | QL (30 EA per 30 days) |
| COMPLERA ORAL TABLET 200-25-300 MG | 1 | QL (30 EA per 30 days) |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 1 | QL (30 EA per 30 days) |
| DOVATO ORAL TABLET 50-300 MG | 1 | QL (30 EA per 30 days) |
| <i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i> | 1 | QL (30 EA per 30 days) |
| EVOTAZ ORAL TABLET 300-150 MG | 1 | QL (30 EA per 30 days) |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG | 1 | |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 1 | QL (30 EA per 30 days) |
| JULUCA ORAL TABLET 50-25 MG | 1 | QL (30 EA per 30 days) |
| <i>maraviroc oral tablet 150 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>maraviroc oral tablet 300 mg</i> | 1 | QL (120 EA per 30 days) |
| ODEFSEY ORAL TABLET 200-25-25 MG | 1 | QL (30 EA per 30 days) |
| PREZCOBIX ORAL TABLET 800-150 MG | 1 | QL (30 EA per 30 days) |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG | 1 | QL (60 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SELZENTRY ORAL SOLUTION 20 MG/ML | 1 | QL (1840 ML per 30 days) |
| SELZENTRY ORAL TABLET 25 MG | 1 | QL (240 EA per 30 days) |
| SELZENTRY ORAL TABLET 75 MG | 1 | QL (120 EA per 30 days) |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 1 | QL (30 EA per 30 days) |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG | 1 | QL (8 EA per 365 days) |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG | 1 | QL (10 EA per 365 days) |
| SUNLENCA SUBCUTANEOUS SOLUTION 463.5 MG/1.5ML | 1 | QL (6 ML per 365 days) |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | 1 | QL (30 EA per 30 days) |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 1 | QL (30 EA per 30 days) |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG | 1 | QL (180 EA per 30 days) |
| TYBOST ORAL TABLET 150 MG | 1 | QL (30 EA per 30 days) |
| Anti-HIV Agents, Protease Inhibitors (PI) | | |
| APTIVUS ORAL CAPSULE 250 MG | 1 | QL (120 EA per 30 days) |
| <i>atazanavir sulfate oral capsule 150 mg, 300 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>atazanavir sulfate oral capsule 200 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>darunavir oral tablet 600 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>darunavir oral tablet 800 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>fosamprenavir calcium oral tablet 700 mg</i> | 1 | QL (120 EA per 30 days) |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 1 | |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i> | 1 | QL (390 ML per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> | 1 | QL (300 EA per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> | 1 | QL (120 EA per 30 days) |
| NORVIR ORAL PACKET 100 MG | 1 | QL (360 EA per 30 days) |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 1 | QL (400 ML per 30 days) |
| PREZISTA ORAL TABLET 150 MG | 1 | QL (180 EA per 30 days) |
| PREZISTA ORAL TABLET 75 MG | 1 | QL (300 EA per 30 days) |
| REYATAZ ORAL PACKET 50 MG | 1 | |
| <i>ritonavir oral tablet 100 mg</i> | 1 | QL (360 EA per 30 days) |
| VIRACEPT ORAL TABLET 250 MG | 1 | QL (300 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VIRACEPT ORAL TABLET 625 MG | 1 | QL (120 EA per 30 days) |
| Anti-influenza Agents | | |
| <i>oseltamivir phosphate oral capsule 30 mg</i> | 1 | QL (84 EA per 180 days) |
| <i>oseltamivir phosphate oral capsule 45 mg, 75 mg</i> | 1 | QL (42 EA per 180 days) |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i> | 1 | QL (540 ML per 180 days) |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT | 1 | QL (60 EA per 180 days) |
| <i>rimantadine hcl oral tablet 100 mg</i> | 1 | |
| Antivirals | | |
| <i>lagevrio oral capsule 200 mg</i> | 1 | QL (40 EA per 5 days) |
| <i>paxlovid (150/100) oral tablet therapy pack 10 x 150 mg & 10 x 100mg</i> | 1 | QL (20 EA per 5 days) |
| <i>paxlovid (300/100) oral tablet therapy pack 20 x 150 mg & 10 x 100mg</i> | 1 | QL (30 EA per 5 days) |
| Anxiolytics - Treatment Of Anxiety Or Nervousness | | |
| Anxiolytics, Other | | |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | PA |
| Benzodiazepines | | |
| <i>alprazolam intensol oral concentrate 1 mg/ml</i> | 1 | QL (300 ML per 30 days) |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> | 1 | QL (150 EA per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> | 1 | QL (300 EA per 30 days) |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>clonazepam oral tablet dispersible 2 mg</i> | 1 | QL (300 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg, 7.5 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | 1 | QL (240 ML per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>diazepam oral concentrate 5 mg/ml</i> | 1 | QL (240 ML per 30 days) |
| <i>diazepam oral solution 5 mg/5ml</i> | 1 | QL (1200 ML per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> | 1 | QL (150 ML per 30 days) |
| <i>lorazepam oral concentrate 2 mg/ml</i> | 1 | QL (150 ML per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 1 | QL (150 EA per 30 days) |

Bipolar Agents - Treatment For Bipolar Illnesses

Mood Stabilizers

| | | |
|---|---|--|
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG | 1 | |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i> | 1 | |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 1 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 1 | |
| <i>lithium oral solution 8 meq/5ml</i> | 1 | |

Blood Glucose Regulators - Control Of Diabetes

Antidiabetic Agents

| | | |
|---|---|-------------------------|
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | QL (90 EA per 30 days) |
| FARXIGA ORAL TABLET 10 MG, 5 MG | 1 | QL (30 EA per 30 days) |
| <i>glimepiride oral tablet 1 mg</i> | 1 | QL (240 EA per 30 days) |
| <i>glimepiride oral tablet 2 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>glipizide er oral tablet extended release 24 hour 10 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>glipizide er oral tablet extended release 24 hour 2.5 mg</i> | 1 | QL (240 EA per 30 days) |
| <i>glipizide er oral tablet extended release 24 hour 5 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>glipizide oral tablet 2.5 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 1 | QL (240 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>glipizide xl oral tablet extended release 24 hour 10 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>glipizide xl oral tablet extended release 24 hour 2.5 mg</i> | 1 | QL (240 EA per 30 days) |
| <i>glipizide xl oral tablet extended release 24 hour 5 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>glipizide-metformin hcl oral tablet 2.5-250 mg</i> | 1 | QL (240 EA per 30 days) |
| <i>glipizide-metformin hcl oral tablet 2.5-500 mg, 5-500 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg</i> | 1 | PA; QL (90 EA per 30 days) |
| <i>glyburide micronized oral tablet 6 mg</i> | 1 | PA; QL (60 EA per 30 days) |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg</i> | 1 | PA; QL (60 EA per 30 days) |
| <i>glyburide oral tablet 5 mg</i> | 1 | PA; QL (120 EA per 30 days) |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i> | 1 | PA; QL (240 EA per 30 days) |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 1 | PA; QL (120 EA per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 1 | QL (30 EA per 30 days) |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG | 1 | QL (60 EA per 30 days) |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG | 1 | QL (30 EA per 30 days) |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG | 1 | QL (60 EA per 30 days) |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 1 | QL (30 EA per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 1 | QL (30 EA per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG | 1 | QL (60 EA per 30 days) |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG | 1 | QL (60 EA per 30 days) |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG | 1 | QL (30 EA per 30 days) |
| <i>metformin hcl er oral tablet extended release 24 hour 500 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>metformin hcl er oral tablet extended release 24 hour 750 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>metformin hcl oral tablet 1000 mg</i> | 1 | QL (75 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>metformin hcl oral tablet 500 mg</i> | 1 | QL (150 EA per 30 days) |
| <i>metformin hcl oral tablet 850 mg</i> | 1 | QL (90 EA per 30 days) |
| MOUNJARO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | 1 | ST; DCR; QL (2 ML per 28 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 1 | QL (90 EA per 30 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML | 1 | ST; DCR; QL (1.5 ML per 28 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML | 1 | ST; DCR; QL (3 ML per 28 days) |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML | 1 | ST; DCR; QL (3 ML per 28 days) |
| OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML | 1 | ST; DCR; QL (3 ML per 28 days) |
| <i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 1 | QL (240 EA per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 1 | ST; DCR; QL (30 EA per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML | 1 | PA |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML | 1 | PA |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG | 1 | QL (60 EA per 30 days) |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 12.5-1000 MG, 5-1000 MG | 1 | QL (60 EA per 30 days) |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 25-1000 MG | 1 | QL (30 EA per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 1 | QL (30 EA per 30 days) |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | 1 | ST; DCR; QL (2 ML per 28 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML | 1 | ST; DCR; QL (9 ML per 30 days) |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 5-500 MG | 1 | QL (30 EA per 30 days) |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG | 1 | QL (60 EA per 30 days) |
| Glycemic Agents | | |
| <i>diazoxide oral suspension 50 mg/ml</i> | 1 | |
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1 MG | 1 | QL (4 EA per 30 days) |
| <i>glucagon emergency injection kit 1 mg</i> | 1 | QL (4 EA per 30 days) |
| <i>glucagon emergency injection solution reconstituted 1 mg/ml</i> | 1 | QL (4 EA per 30 days) |
| <i>mifepristone oral tablet 300 mg</i> | 1 | PA |
| Insulins | | |
| <i>gauze pad 2"x2"</i> | 1 | |
| HUMALOG INJECTION SOLUTION 100 UNIT/ML | 1 | |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 1 | |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (50-50) 100 UNIT/ML | 1 | |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (75-25) 100 UNIT/ML | 1 | |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML | 1 | |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | 1 | |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 1 | |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | 1 | |
| HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 1 | |
| HUMULIN R INJECTION SOLUTION 100 UNIT/ML | 1 | |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML | 1 | |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML | 1 | |
| <i>insulin asp prot & asp flexpen subcutaneous suspension pen-injector (70-30) 100 unit/ml</i> | 1 | |
| <i>insulin aspart flexpen subcutaneous solution pen-injector 100 unit/ml</i> | 1 | |
| <i>insulin aspart injection solution 100 unit/ml</i> | 1 | |
| <i>insulin aspart prot & aspart subcutaneous suspension (70-30) 100 unit/ml</i> | 1 | |
| <i>insulin lispro (1 unit dial) subcutaneous solution pen-injector 100 unit/ml</i> | 1 | |
| <i>insulin lispro injection solution 100 unit/ml</i> | 1 | |
| <i>insulin lispro junior kwikpen subcutaneous solution pen-injector 100 unit/ml</i> | 1 | |
| <i>insulin lispro prot & lispro subcutaneous suspension pen-injector (75-25) 100 unit/ml</i> | 1 | |
| <i>insulin syringe 27g x 1/2" 0.5 ml, 27g x 1/2" 1 ml, 27g x 5/8" 1 ml, 28g x 1/2" 0.5 ml, 28g x 1/2" 1 ml, 29g 0.3 ml, 29g x 1/2" 0.3 ml, 29g x 1/2" 0.5 ml, 29g x 1/2" 1 ml, 30g x 1/2" 0.3 ml, 30g x 1/2" 0.5 ml, 30g x 1/2" 1 ml, 30g x 5/16" 0.3 ml, 30g x 5/16" 0.5 ml, 30g x 5/16" 1 ml, 31g x 1/2" 0.3 ml, 31g x 1/4" 0.3 ml, 31g x 1/4" 0.5 ml, 31g x 1/4" 1 ml, 31g x 15/64" 0.3 ml, 31g x 15/64" 0.5 ml, 31g x 15/64" 1 ml, 31g x 5/16" 0.3 ml, 31g x 5/16" 0.5 ml, 31g x 5/16" 1 ml, 31g x 6mm 0.5 ml, u-100 1 ml</i> | 1 | |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | |
| NOVOLIN 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 1 | |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 1 | |
| NOVOLIN 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 1 | |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 1 | |
| NOVOLIN N FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLIN N RELION SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 1 | |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 1 | |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLIN R FLEXPEN RELION INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML | 1 | |
| NOVOLIN R RELION INJECTION SOLUTION 100 UNIT/ML | 1 | |
| NOVOLOG 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 1 | |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML | 1 | |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 1 | |
| NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 1 | |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 1 | |
| NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML | 1 | |
| OMNIPOD 5 G6 INTRO (GEN 5) KIT | 1 | |
| OMNIPOD 5 G6 PODS (GEN 5) | 1 | |
| OMNIPOD 5 G7 INTRO (GEN 5) KIT | 1 | |
| OMNIPOD 5 G7 PODS (GEN 5) | 1 | |
| OMNIPOD DASH INTRO (GEN 4) KIT | 1 | |
| OMNIPOD DASH PDM (GEN 4) KIT | 1 | |
| OMNIPOD DASH PODS (GEN 4) | 1 | |
| OMNIPOD GO KIT 10 UNIT/24HR, 15 UNIT/24HR, 20 UNIT/24HR, 25 UNIT/24HR, 30 UNIT/24HR, 35 UNIT/24HR, 40 UNIT/24HR | 1 | |
| <i>pen needles 29g x 12mm , 30g x 5 mm , 30g x 8 mm , 31g x 4 mm , 31g x 5 mm , 31g x 6 mm , 31g x 8 mm , 32g x 4 mm , 32g x 5 mm , 32g x 6 mm</i> | 1 | |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML | 1 | QL (30 ML per 30 days) |
| <i>techlite plus pen needles 32g x 4 mm</i> | 1 | |
| V-GO 20 KIT 20 UNIT/24HR | 1 | |
| V-GO 30 KIT 30 UNIT/24HR | 1 | |
| V-GO 40 KIT 40 UNIT/24HR | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| Blood Products And Modifiers - Prevention Of Clotting And Increasing Blood Cell Production | | |
| Anticoagulants | | |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG | 1 | QL (74 EA per 30 days) |
| ELIQUIS ORAL TABLET 2.5 MG | 1 | QL (60 EA per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 1 | QL (74 EA per 30 days) |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i> | 1 | |
| <i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i> | 1 | |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 2.5 mg/0.5ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i> | 1 | |
| FRAGMIN SUBCUTANEOUS SOLUTION 95000 UNIT/3.8ML | 1 | |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNIT/0.72ML, 2500 UNIT/0.2ML, 5000 UNIT/0.2ML, 7500 UNIT/0.3ML | 1 | |
| <i>heparin sodium (porcine) injection solution 10000 unit/ml, 5000 unit/ml</i> | 1 | |
| <i>heparin sodium (porcine) pf injection solution 1000 unit/ml</i> | 1 | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| XARELTO ORAL TABLET 10 MG, 20 MG | 1 | QL (30 EA per 30 days) |
| XARELTO ORAL TABLET 15 MG | 1 | QL (60 EA per 30 days) |
| XARELTO ORAL TABLET 2.5 MG | 1 | QL (120 EA per 30 days) |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG | 1 | QL (51 EA per 30 days) |
| Blood Products and Modifiers, Other | | |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | 1 | PA |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML, 100 MCG/0.5ML, 150 MCG/0.3ML, 200 MCG/0.4ML, 25 MCG/0.42ML, 300 MCG/0.6ML, 40 MCG/0.4ML, 500 MCG/ML, 60 MCG/0.3ML | 1 | PA |
| EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 1 | PA |
| FULPHILA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| FYLNETRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG | 1 | PA |
| NEULASTA ONPRO SUBCUTANEOUS PREFILLED SYRINGE KIT 6 MG/0.6ML | 1 | PA |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| NYVEPRIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| OXBRYTA ORAL TABLET 300 MG, 500 MG | 1 | PA |
| OXBRYTA ORAL TABLET SOLUBLE 300 MG | 1 | PA |
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | 1 | PA |
| PROMACTA ORAL PACKET 12.5 MG | 1 | PA; QL (360 EA per 30 days) |
| PROMACTA ORAL PACKET 25 MG | 1 | PA; QL (180 EA per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG | 1 | PA; QL (30 EA per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 1 | PA; QL (60 EA per 30 days) |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG | 1 | PA |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG, 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | 1 | PA |
| TAVNEOS ORAL CAPSULE 10 MG | 1 | PA |
| <i>tranexamic acid oral tablet 650 mg</i> | 1 | |
| UDENYCA ONBODY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6 MG/0.6ML | 1 | PA |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | 1 | PA |
| ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 1 | PA |
| Platelet Modifying Agents | | |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i> | 1 | |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 1 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 1 | |
| <i>clopidogrel bisulfate oral tablet 75 mg</i> | 1 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 1 | PA |
| DOPTELET ORAL TABLET 20 MG, 20 MG (10 PACK), 20 MG(15 PACK) | 1 | PA |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| Cardiovascular Agents - Treatment Of Conditions Affecting The Heart And Blood Vessels | | |
| Alpha-adrenergic Agonists | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 1 | |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i> | 1 | PA |
| <i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Alpha-adrenergic Blocking Agents | | |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>phenoxybenzamine hcl oral capsule 10 mg</i> | 1 | PA |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 1 | |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> | 1 | |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> | 1 | |
| Angiotensin-converting Enzyme (ACE) Inhibitors | | |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 1 | |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 1 | |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Antiarrhythmics | | |
| <i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> | 1 | PA |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> | 1 | |
| <i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | |
| <i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i> | 1 | |
| MULTAQ ORAL TABLET 400 MG | 1 | |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG | 1 | PA |
| <i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i> | 1 | |
| <i>quinidine gluconate er oral tablet extended release 324 mg</i> | 1 | |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i> | 1 | |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i> | 1 | |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | 1 | |
| Beta-adrenergic Blocking Agents | | |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i> | 1 | |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>betaxolol hcl oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> | 1 | |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i> | 1 | |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i> | 1 | |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i> | 1 | |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| Calcium Channel Blocking Agents, Dihydropyridines | | |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i> | 1 | |
| <i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nifedipine oral capsule 10 mg, 20 mg</i> | 1 | PA |
| <i>nimodipine oral capsule 30 mg</i> | 1 | |
| Calcium Channel Blocking Agents, Nondihydropyridines | | |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i> | 1 | |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 1 | |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg</i> | 1 | |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | |
| Cardiovascular Agents, Other | | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>aliskiren fumarate oral tablet 150 mg, 300 mg</i> | 1 | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | 1 | |
| <i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | 1 | |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> | 1 | |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> | 1 | |
| <i>amlodipine-valsartan-hctz oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | 1 | |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i> | 1 | |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i> | 1 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> | 1 | |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG | 1 | PA; QL (30 EA per 30 days) |
| <i>candesartan cilxetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 1 | |
| CORLANOR ORAL SOLUTION 5 MG/5ML | 1 | PA |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 1 | PA |
| <i>digoxin oral solution 0.05 mg/ml</i> | 1 | QL (150 ML per 30 days) |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i> | 1 | QL (30 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i> | 1 | |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG | 1 | QL (60 EA per 30 days) |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> | 1 | |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 1 | PA; QL (30 EA per 30 days) |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| LODOCO ORAL TABLET 0.5 MG | 1 | PA |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> | 1 | |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | 1 | |
| <i>metyrosine oral capsule 250 mg</i> | 1 | PA |
| NEXLETOL ORAL TABLET 180 MG | 1 | PA |
| NEXLIZET ORAL TABLET 180-10 MG | 1 | PA |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | 1 | |
| <i>olmesartan-amlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | 1 | |
| <i>pentoxifylline er oral tablet extended release 400 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i> | 1 | |
| <i>spironolactone-hctz oral tablet 25-25 mg</i> | 1 | |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> | 1 | |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i> | 1 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | 1 | QL (30 EA per 30 days) |
| Diuretics, Loop | | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>furosemide injection solution 10 mg/ml, 10 mg/ml (4ml syringe)</i> | 1 | |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i> | 1 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 1 | |
| Diuretics, Potassium-sparing | | |
| <i>amiloride hcl oral tablet 5 mg</i> | 1 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| Diuretics, Thiazide | | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| Dyslipidemics, Fibric Acid Derivatives | | |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i> | 1 | |
| <i>fenofibrate oral capsule 134 mg, 200 mg, 67 mg</i> | 1 | |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | 1 | |
| <i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i> | 1 | |
| <i>fenofibric acid oral tablet 35 mg</i> | 1 | |
| <i>gemfibrozil oral tablet 600 mg</i> | 1 | |
| Dyslipidemics, HMG CoA Reductase Inhibitors | | |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i> | 1 | |
| Dyslipidemics, Other | | |
| <i>cholestyramine light oral packet 4 gm</i> | 1 | |
| <i>cholestyramine light oral powder 4 gm/dose</i> | 1 | |
| <i>cholestyramine oral packet 4 gm</i> | 1 | |
| <i>cholestyramine oral powder 4 gm/dose</i> | 1 | |
| <i>colesevelam hcl oral packet 3.75 gm</i> | 1 | |
| <i>colesevelam hcl oral tablet 625 mg</i> | 1 | |
| <i>colestipol hcl oral granules 5 gm</i> | 1 | |
| <i>colestipol hcl oral packet 5 gm</i> | 1 | |
| <i>colestipol hcl oral tablet 1 gm</i> | 1 | |
| <i>ezetimibe oral tablet 10 mg</i> | 1 | |
| <i>ezetimibe-rosuvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg</i> | 1 | |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 1 | |
| <i>icosapent ethyl oral capsule 0.5 gm, 1 gm</i> | 1 | PA |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i> | 1 | |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 75 MG/ML | 1 | PA |
| <i>prevalite oral packet 4 gm</i> | 1 | |
| <i>prevalite oral powder 4 gm/dose</i> | 1 | |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML | 1 | PA |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML | 1 | PA |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML | 1 | PA |
| Vasodilators, Direct-acting Arterial | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i> | 1 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 1 | |
| Vasodilators, Direct-acting Arterial/ Venous | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 1 | |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 1 | |
| NITRO-BID TRANSDERMAL OINTMENT 2 % | 1 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | 1 | |
| <i>nitroglycerin rectal ointment 0.4 %</i> | 1 | |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 1 | |
| <i>nitroglycerin translingual solution 0.4 mg/spray</i> | 1 | |
| Central Nervous System Agents - Treatment Of Disorders Of The Brain And Spinal Column | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>amphetamine-dextroamphet er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet 12.5 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet 15 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg</i> | 1 | QL (150 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | QL (180 EA per 30 days) |
| Attention Deficit Hyperactivity Disorder Agents, Non-amphetamines | | |
| <i>atomoxetine hcl oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>dexmethylphenidate hcl oral tablet 10 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>dexmethylphenidate hcl oral tablet 2.5 mg, 5 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | PA |
| <i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg, 60 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>methylphenidate hcl er (osm) oral tablet extended release 18 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>methylphenidate hcl er (osm) oral tablet extended release 27 mg, 54 mg, 72 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>methylphenidate hcl er (osm) oral tablet extended release 36 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>methylphenidate hcl er (xr) oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 10 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 20 mg</i> | 1 | QL (90 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>methylphenidate hcl oral solution 10 mg/5ml</i> | 1 | QL (900 ML per 30 days) |
| <i>methylphenidate hcl oral solution 5 mg/5ml</i> | 1 | QL (1800 ML per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | QL (90 EA per 30 days) |
| <i>methylphenidate hcl oral tablet chewable 10 mg</i> | 1 | QL (180 EA per 30 days) |
| <i>methylphenidate hcl oral tablet chewable 2.5 mg, 5 mg</i> | 1 | QL (90 EA per 30 days) |
| Central Nervous System, Other | | |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | 1 | PA |
| AUSTEDO PATIENT TITRATION KIT ORAL TABLET THERAPY PACK 6 & 9 & 12 MG | 1 | PA |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML | 1 | PA |
| FIRDAPSE ORAL TABLET 10 MG | 1 | PA |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG | 1 | PA; QL (30 EA per 30 days) |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG | 1 | PA; QL (56 EA per 365 days) |
| NUEDEXTA ORAL CAPSULE 20-10 MG | 1 | PA |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML | 1 | PA |
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML | 1 | PA |
| RELYVRIO ORAL PACKET 3-1 GM | 1 | PA |
| <i>riluzole oral tablet 50 mg</i> | 1 | |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> | 1 | PA |
| Fibromyalgia Agents | | |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i> | 1 | |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 1 | ST |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG | 1 | ST |
| Multiple Sclerosis Agents | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| BAFIERTAM ORAL CAPSULE DELAYED RELEASE 95 MG | 1 | PA |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 1 | PA |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i> | 1 | PA |
| <i>dimethyl fumarate oral capsule delayed release 120 mg, 240 mg</i> | 1 | PA |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 & 240 mg</i> | 1 | PA |
| EXTAVIA SUBCUTANEOUS KIT 0.3 MG | 1 | PA |
| <i> fingolimod hcl oral capsule 0.5 mg</i> | 1 | PA |
| <i> glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml</i> | 1 | PA |
| <i> glatopa subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml</i> | 1 | PA |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML | 1 | PA |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK 10 MG | 1 | PA |
| MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG | 1 | PA |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG, 7 X 0.25 MG | 1 | PA |
| OCREVUS INTRAVENOUS SOLUTION 300 MG/10ML | 1 | PA; QL (20 ML per 180 days) |
| PONVORY ORAL TABLET 20 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PONVORY STARTER PACK ORAL TABLET THERAPY PACK 2-3-4-5-6-7-8-9 & 10 MG | 1 | PA |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML | 1 | PA |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG | 1 | PA |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML | 1 | PA |
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG | 1 | PA |
| TASCENSO ODT ORAL TABLET DISPERSIBLE 0.25 MG, 0.5 MG | 1 | PA |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> | 1 | PA |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG | 1 | PA |
| ZEPOSIA ORAL CAPSULE 0.92 MG | 1 | PA |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21) | 1 | PA |
| Dental And Oral Agents - Treatment Of Mouth And Gum Disorders | | |
| Dental and Oral Agents | | |
| <i>cevimeline hcl oral capsule 30 mg</i> | 1 | |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i> | 1 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | 1 | |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i> | 1 | |
| Dermatological Agents - Treatment Of Skin Conditions | | |
| Acne and Rosacea Agents | | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 1 | PA |
| <i>adapalene external gel 0.1 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i> | 1 | |
| <i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i> | 1 | |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-2.5 %, 1.2-5 %</i> | 1 | |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>tazarotene external cream 0.1 %</i> | 1 | |
| <i>tazarotene external gel 0.05 %, 0.1 %</i> | 1 | |
| TAZORAC EXTERNAL CREAM 0.05 % | 1 | |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i> | 1 | |
| <i>tretinoin external gel 0.01 %, 0.025 %</i> | 1 | |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| Dermatitis and Pruritus Agents | | |
| <i>alclometasone dipropionate external cream 0.05 %</i> | 1 | |
| <i>alclometasone dipropionate external ointment 0.05 %</i> | 1 | |
| <i>ammonium lactate external cream 12 %</i> | 1 | |
| <i>ammonium lactate external lotion 12 %</i> | 1 | |
| <i>betamethasone dipropionate aug external cream 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate aug external gel 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate aug external lotion 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate external cream 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate external lotion 0.05 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>betamethasone dipropionate external ointment 0.05 %</i> | 1 | |
| <i>betamethasone valerate external cream 0.1 %</i> | 1 | |
| <i>betamethasone valerate external lotion 0.1 %</i> | 1 | |
| <i>betamethasone valerate external ointment 0.1 %</i> | 1 | |
| <i>clobetasol prop emollient base external cream 0.05 %</i> | 1 | |
| <i>clobetasol propionate e external cream 0.05 %</i> | 1 | |
| <i>clobetasol propionate external cream 0.05 %</i> | 1 | |
| <i>clobetasol propionate external gel 0.05 %</i> | 1 | |
| <i>clobetasol propionate external ointment 0.05 %</i> | 1 | |
| <i>clobetasol propionate external solution 0.05 %</i> | 1 | |
| <i>desonide external cream 0.05 %</i> | 1 | |
| <i>desonide external lotion 0.05 %</i> | 1 | |
| <i>desonide external ointment 0.05 %</i> | 1 | |
| <i>desoximetasone external cream 0.05 %, 0.25 %</i> | 1 | |
| <i>desoximetasone external gel 0.05 %</i> | 1 | |
| <i>desoximetasone external ointment 0.05 %, 0.25 %</i> | 1 | |
| <i>doxepin hcl external cream 5 %</i> | 1 | PA; QL (45 GM per 30 days) |
| EUCRISA EXTERNAL OINTMENT 2 % | 1 | PA |
| <i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i> | 1 | |
| <i>fluocinolone acetonide external ointment 0.025 %</i> | 1 | |
| <i>fluocinolone acetonide external solution 0.01 %</i> | 1 | |
| <i>fluocinonide emulsified base external cream 0.05 %</i> | 1 | |
| <i>fluocinonide external cream 0.05 %</i> | 1 | |
| <i>fluocinonide external gel 0.05 %</i> | 1 | |
| <i>fluocinonide external ointment 0.05 %</i> | 1 | |
| <i>fluocinonide external solution 0.05 %</i> | 1 | |
| <i>fluticasone propionate external cream 0.05 %</i> | 1 | |
| <i>fluticasone propionate external lotion 0.05 %</i> | 1 | |
| <i>fluticasone propionate external ointment 0.005 %</i> | 1 | |
| <i>halobetasol propionate external cream 0.05 %</i> | 1 | |
| <i>halobetasol propionate external ointment 0.05 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>hydrocortisone (perianal) external cream 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone butyr lipo base external cream 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate external cream 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate external ointment 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate external solution 0.1 %</i> | 1 | |
| <i>hydrocortisone external cream 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone external lotion 2.5 %</i> | 1 | |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i> | 1 | |
| <i>hydrocortisone valerate external cream 0.2 %</i> | 1 | |
| <i>hydrocortisone valerate external ointment 0.2 %</i> | 1 | |
| HYFTOR EXTERNAL GEL 0.2 % | 1 | PA |
| <i>mometasone furoate external cream 0.1 %</i> | 1 | |
| <i>mometasone furoate external ointment 0.1 %</i> | 1 | |
| <i>mometasone furoate external solution 0.1 %</i> | 1 | |
| <i>pimecrolimus external cream 1 %</i> | 1 | ST |
| <i>prednicarbate external ointment 0.1 %</i> | 1 | |
| <i>selenium sulfide external lotion 2.5 %</i> | 1 | |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i> | 1 | ST |
| <i>triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %</i> | 1 | |
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i> | 1 | |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.05 %, 0.1 %, 0.5 %</i> | 1 | |
| <i>triamcinolone in absorbase external ointment 0.05 %</i> | 1 | |
| Dermatological Agents, Other | | |
| <i>alcohol pad , 70 %</i> | 1 | |
| <i>alcohol sheet , 70 %</i> | 1 | |
| <i>calcipotriene external cream 0.005 %</i> | 1 | |
| <i>calcipotriene external ointment 0.005 %</i> | 1 | |
| <i>calcipotriene external solution 0.005 %</i> | 1 | |
| <i>calcitriol external ointment 3 mcg/gm</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i> | 1 | |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i> | 1 | |
| <i>fluorouracil external cream 0.5 %</i> | 1 | PA |
| <i>fluorouracil external cream 5 %</i> | 1 | |
| <i>fluorouracil external solution 2 %, 5 %</i> | 1 | |
| <i>imiquimod external cream 5 %</i> | 1 | |
| <i>methoxsalen rapid oral capsule 10 mg</i> | 1 | |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i> | 1 | |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i> | 1 | |
| OTEZLA ORAL TABLET 30 MG | 1 | PA |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG | 1 | PA |
| <i>podofilox external solution 0.5 %</i> | 1 | |
| REGRANEX EXTERNAL GEL 0.01 % | 1 | PA; QL (15 GM per 30 days) |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM | 1 | QL (90 GM per 30 days) |
| <i>silver sulfadiazine external cream 1 %</i> | 1 | |
| <i>sodium chloride irrigation solution 0.9 %</i> | 1 | |
| Pediculicides/Scabicides | | |
| <i>malathion external lotion 0.5 %</i> | 1 | |
| <i>permethrin external cream 5 %</i> | 1 | |
| Topical Anti-infectives | | |
| <i>acyclovir external cream 5 %</i> | 1 | |
| <i>acyclovir external ointment 5 %</i> | 1 | |
| <i>ciclopirox external solution 8 %</i> | 1 | |
| <i>ciclopirox olamine external cream 0.77 %</i> | 1 | |
| <i>ciclopirox olamine external suspension 0.77 %</i> | 1 | |
| <i>clindamycin phosphate external gel 1 %</i> | 1 | |
| <i>clindamycin phosphate external lotion 1 %</i> | 1 | |
| <i>clindamycin phosphate external solution 1 %</i> | 1 | |
| <i>clindamycin phosphate external swab 1 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ery external pad 2 %</i> | 1 | |
| <i>erythromycin external gel 2 %</i> | 1 | |
| <i>erythromycin external solution 2 %</i> | 1 | |
| <i>gentamicin sulfate external cream 0.1 %</i> | 1 | |
| <i>gentamicin sulfate external ointment 0.1 %</i> | 1 | |
| <i>metronidazole external cream 0.75 %</i> | 1 | |
| <i>metronidazole external gel 0.75 %, 1 %</i> | 1 | |
| <i>metronidazole external lotion 0.75 %</i> | 1 | |
| <i>mupirocin external ointment 2 %</i> | 1 | QL (88 GM per 30 days) |
| <i>penciclovir external cream 1 %</i> | 1 | |
| Electrolytes/Minerals/ Metals/ Vitamins - Products That Supplement Or Replace Electrolytes, Minerals, Metals Or Vitamins | | |
| Electrolyte/ Mineral Replacement | | |
| <i>carglumic acid oral tablet soluble 200 mg</i> | 1 | PA |
| ISOLYTE-S INTRAVENOUS SOLUTION | 1 | |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION | 1 | |
| <i>kcl in dextrose-nacl intravenous solution 20-5-0.45 meq/l-%-%</i> | 1 | |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ | 1 | |
| <i>klor-con m10 oral tablet extended release 10 meq</i> | 1 | |
| <i>klor-con m15 oral tablet extended release 15 meq</i> | 1 | |
| <i>klor-con m20 oral tablet extended release 20 meq</i> | 1 | |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ | 1 | |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i> | 1 | |
| <i>potassium chloride crys er oral tablet extended release 10 meq, 15 meq, 20 meq</i> | 1 | |
| <i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i> | 1 | |
| <i>potassium chloride er oral tablet extended release 10 meq, 15 meq, 20 meq, 8 meq</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml), 40 meq/100ml</i> | 1 | |
| <i>potassium chloride oral solution 10 %, 20 meq/15ml (10%), 40 meq/15ml (20%)</i> | 1 | |
| <i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i> | 1 | |
| <i>sodium chloride (pf) injection solution 0.9 %</i> | 1 | |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %</i> | 1 | |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i> | 1 | |
| Electrolyte/Mineral/Metal Modifiers | | |
| CUVRIOR ORAL TABLET 300 MG | 1 | PA |
| <i>deferasirox granules oral packet 180 mg, 360 mg, 90 mg</i> | 1 | PA |
| <i>deferasirox oral packet 180 mg, 360 mg, 90 mg</i> | 1 | PA |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> | 1 | PA |
| <i>deferasirox oral tablet soluble 125 mg, 250 mg, 500 mg</i> | 1 | PA |
| <i>deferiprone oral tablet 1000 mg, 500 mg</i> | 1 | PA |
| <i>penicillamine oral tablet 250 mg</i> | 1 | PA |
| <i>tolvaptan oral tablet 15 mg, 30 mg</i> | 1 | PA |
| <i>trientine hcl oral capsule 250 mg</i> | 1 | PA |
| Electrolytes/Minerals/Metals/Vitamins | | |
| <i>clinisol sf intravenous solution 15 %</i> | 1 | B/D |
| <i>dextrose intravenous solution 10 %, 5 %</i> | 1 | |
| <i>dextrose-nacl intravenous solution 10-0.2 %, 2.5-0.45 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i> | 1 | |
| <i>dextrose-sodium chloride intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i> | 1 | |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 % | 1 | B/D |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION | 1 | |
| <i>levocarnitine oral solution 1 gm/10ml</i> | 1 | |
| <i>levocarnitine oral tablet 330 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>levocarnitine sf oral solution 1 gm/10ml</i> | 1 | |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 1 | B/D |
| <i>plenamine intravenous solution 15 %</i> | 1 | B/D |
| <i>prenatal oral tablet 27-1 mg</i> | 1 | |
| Phosphate Binders | | |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i> | 1 | |
| <i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i> | 1 | |
| <i>sevelamer carbonate oral tablet 800 mg</i> | 1 | |
| Potassium Binders | | |
| LOKELMA ORAL PACKET 10 GM, 5 GM | 1 | |
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| <i>sps oral suspension 15 gm/60ml</i> | 1 | |
| Vitamins | | |
| <i>m-natal plus oral tablet 27-1 mg</i> | 1 | |
| <i>trinatal rx 1 oral tablet 60-1 mg</i> | 1 | |
| Gastrointestinal Agents - Treatment Of Stomach And Intestinal Conditions | | |
| Anti-Constipation Agents | | |
| <i>constulose oral solution 10 gm/15ml</i> | 1 | |
| <i>enulose oral solution 10 gm/15ml</i> | 1 | |
| <i>gavilyte-c oral solution reconstituted 240 gm</i> | 1 | |
| <i>gavilyte-g oral solution reconstituted 236 gm</i> | 1 | |
| <i>generlac oral solution 10 gm/15ml</i> | 1 | |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i> | 1 | |
| <i>lactulose oral solution 10 gm/15ml, 20 gm/30ml</i> | 1 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 1 | QL (30 EA per 30 days) |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> | 1 | QL (60 EA per 30 days) |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 1 | QL (30 EA per 30 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i> | 1 | |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i> | 1 | |
| RELISTOR ORAL TABLET 150 MG | 1 | PA |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE), 8 MG/0.4ML | 1 | PA |
| Anti-Diarrheal Agents | | |
| <i>alose tron hcl oral tablet 0.5 mg, 1 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i> | 1 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | 1 | |
| <i>loperamide hcl oral capsule 2 mg</i> | 1 | |
| XERMELO ORAL TABLET 250 MG | 1 | PA |
| XIFAXAN ORAL TABLET 200 MG, 550 MG | 1 | PA |
| Antispasmodics, Gastrointestinal | | |
| <i>dicyclomine hcl oral capsule 10 mg</i> | 1 | |
| <i>dicyclomine hcl oral solution 10 mg/5ml</i> | 1 | |
| <i>dicyclomine hcl oral tablet 20 mg</i> | 1 | |
| <i>glycopyrrolate oral solution 1 mg/5ml</i> | 1 | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 1 | |
| Gastrointestinal Agents, Other | | |
| GATTEX SUBCUTANEOUS KIT 5 MG | 1 | PA |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML | 1 | PA |
| OCALIVA ORAL TABLET 10 MG, 5 MG | 1 | PA |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet 250 mg, 500 mg</i> | 1 | |
| VOWST ORAL CAPSULE | 1 | PA |
| Histamine2 (H2) Receptor Antagonists | | |
| <i>cimetidine hcl oral solution 300 mg/5ml, 400 mg/6.67ml</i> | 1 | |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i> | 1 | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Protectants | | |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | 1 | |
| <i>sucralfate oral tablet 1 gm</i> | 1 | |
| Proton Pump Inhibitors | | |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i> | 1 | |
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i> | 1 | |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i> | 1 | |
| Genetic Or Enzyme Or Protein Disorder: Replacement, Modifiers, Treatment - Products That Replace, Modify, Or Treat Genetic Or Enzyme Disorders | | |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG | 1 | PA |
| <i>betaine oral powder</i> | 1 | |
| CERDELGA ORAL CAPSULE 84 MG | 1 | PA |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | 1 | PA |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT | 1 | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | 1 | PA |
| <i>dichlorphenamide oral tablet 50 mg</i> | 1 | PA |
| ENDARI ORAL PACKET 5 GM | 1 | PA |
| GALAFOLD ORAL CAPSULE 123 MG | 1 | PA |
| GLASSIA INTRAVENOUS SOLUTION 1000 MG/50ML | 1 | PA |
| <i>miglustat oral capsule 100 mg</i> | 1 | PA |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ORFADIN ORAL SUSPENSION 4 MG/ML | 1 | PA |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML | 1 | PA |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG | 1 | PA |
| RAVICTI ORAL LIQUID 1.1 GM/ML | 1 | PA |
| <i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i> | 1 | PA |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i> | 1 | PA |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i> | 1 | PA |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> | 1 | PA |
| SUCRAID ORAL SOLUTION 8500 UNIT/ML | 1 | PA |
| XURIDEN ORAL PACKET 2 GM | 1 | PA |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 4000 MG, 5000 MG | 1 | PA |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT | 1 | |
| Genitourinary Agents - Treatment Of Urinary Tract And Prostate Conditions | | |
| Antispasmodics, Urinary | | |
| <i>darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg</i> | 1 | ST |
| <i>fesoterodine fumarate er oral tablet extended release 24 hour 4 mg, 8 mg</i> | 1 | ST |
| <i>flavoxate hcl oral tablet 100 mg</i> | 1 | |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML | 1 | QL (300 ML per 30 days) |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG | 1 | QL (30 EA per 30 days) |
| <i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>oxybutynin chloride oral solution 5 mg/5ml</i> | 1 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>solifenacin succinate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i> | 1 | |
| <i>tolterodine tartrate oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>tropium chloride er oral capsule extended release 24 hour 60 mg</i> | 1 | ST |
| <i>tropium chloride oral tablet 20 mg</i> | 1 | |
| Benign Prostatic Hypertrophy Agents | | |
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i> | 1 | |
| <i>dutasteride oral capsule 0.5 mg</i> | 1 | |
| <i>finasteride oral tablet 5 mg</i> | 1 | |
| <i>tamsulosin hcl oral capsule 0.4 mg</i> | 1 | |
| Genitourinary Agents, Other | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 1 | |
| ELMIRON ORAL CAPSULE 100 MG | 1 | |
| FILSPARI ORAL TABLET 200 MG, 400 MG | 1 | PA |
| THIOLA EC ORAL TABLET DELAYED RELEASE 100 MG, 300 MG | 1 | PA |
| <i>tiopronin oral tablet 100 mg</i> | 1 | PA |
| <i>tiopronin oral tablet delayed release 100 mg, 300 mg</i> | 1 | PA |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) - Treatment Of Conditions Requiring Steroids | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 1 | PA |
| CORTROPHIN INJECTION GEL 80 UNIT/ML | 1 | PA |
| <i>dexamethasone oral solution 0.5 mg/5ml</i> | 1 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i> | 1 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 1 | |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i> | 1 | |
| <i>prednisolone oral solution 15 mg/5ml</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 6.7 (5 base) mg/5ml</i> | 1 | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary) - Treatment Of Pituitary Gland Conditions | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary) | | |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i> | 1 | |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i> | 1 | |
| <i>desmopressin acetate spray nasal solution 0.01 %</i> | 1 | |
| EGRIFTA SV SUBCUTANEOUS SOLUTION RECONSTITUTED 2 MG | 1 | PA |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE 0.2 MG, 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG | 1 | PA |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG, 5 MG | 1 | PA |
| HUMATROPE INJECTION CARTRIDGE 12 MG, 24 MG, 6 MG | 1 | PA |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML | 1 | PA |
| NGENLA SUBCUTANEOUS SOLUTION PEN-INJECTOR 24 MG/1.2ML, 60 MG/1.2ML | 1 | PA |
| NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 30 MG/3ML, 5 MG/1.5ML | 1 | PA |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/2ML | 1 | PA |
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR 20 MG/2ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/2ML | 1 | PA |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML | 1 | PA |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG | 1 | PA |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG | 1 | PA |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG | 1 | PA |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers) - For The Replacement Or Modification Of Sex Hormones | | |
| Anabolic Steroids | | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> | 1 | |
| Androgens | | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 1 | |
| <i>methyltestosterone oral capsule 10 mg</i> | 1 | PA |
| <i>testosterone cypionate injection solution 200 mg/ml</i> | 1 | |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i> | 1 | |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i> | 1 | |
| <i>testosterone transdermal gel 1.62 %, 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 1 | PA |
| <i>testosterone transdermal solution 30 mg/act</i> | 1 | PA |
| Estrogens | | |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 1 | |
| <i>estradiol vaginal cream 0.1 mg/gm</i> | 1 | |
| <i>estradiol vaginal tablet 10 mcg</i> | 1 | |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> | 1 | |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG | 1 | PA |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | 1 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GM | 1 | |
| <i>yuvafem vaginal tablet 10 mcg</i> | 1 | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers) | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>altavera oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i> | 1 | |
| <i>amabelz oral tablet 0.5-0.1 mg</i> | 1 | |
| <i>apri oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>aranelle oral tablet 0.5/1/0.5-35 mg-mcg</i> | 1 | |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>aurovela 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>aurovela fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>aurovela fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>ayuna oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>balziva oral tablet 0.4-35 mg-mcg</i> | 1 | |
| <i>blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>blisovi fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | 1 | |
| <i>chateal eq oral tablet 0.15-30 mg-mcg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY | 1 | |
| <i>cryselle-28 oral tablet 0.3-30 mg-mcg</i> | 1 | |
| <i>cyred eq oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5), 0.15-30 mg-mcg</i> | 1 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i> | 1 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24hr</i> | 1 | |
| <i>enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg</i> | 1 | |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i> | 1 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 1 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i> | 1 | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i> | 1 | |
| <i>falmina oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>femynor oral tablet 0.25-35 mg-mcg</i> | 1 | |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | |
| <i>hailey 24 fe oral tablet 1-20 mg-mcg(24)</i> | 1 | |
| <i>hailey fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>hailey fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>introvale oral tablet 0.15-0.03 mg</i> | 1 | |
| <i>isibloom oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>jinteli oral tablet 1-5 mg-mcg</i> | 1 | |
| <i>juleber oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>junel 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>junel 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>junel fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>junel fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>kariva oral tablet 0.15-0.02/0.01 mg (21/5)</i> | 1 | |
| <i>kelnor 1/35 oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>kelnor 1/50 oral tablet 1-50 mg-mcg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>kurvelo oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>larin 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>larin 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>larin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>larin fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>leena oral tablet 0.5/1/0.5-35 mg-mcg</i> | 1 | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>levonest oral tablet 50-30/75-40/ 125-30 mcg</i> | 1 | |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 & 0.01 mg, 0.15-0.03 & 0.01 mg, 0.15-0.03 mg</i> | 1 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i> | 1 | |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i> | 1 | |
| <i>levora 0.15/30 (28) oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i> | 1 | |
| <i>lutera oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>microgestin 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>microgestin 24 fe oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i> | 1 | |
| <i>microgestin fe 1/20 oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>mili oral tablet 0.25-35 mg-mcg</i> | 1 | |
| <i>mimvey oral tablet 1-0.5 mg</i> | 1 | |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 1 | |
| <i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i> | 1 | |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 1 | |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 1 | |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | |
| <i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i> | 1 | |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 1 | |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i> | 1 | |
| <i>nylia 1/35 oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i> | 1 | |
| <i>ocella oral tablet 3-0.03 mg</i> | 1 | |
| <i>pimtrex oral tablet 0.15-0.02/0.01 mg (21/5)</i> | 1 | |
| <i>pirmella 1/35 oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>portia-28 oral tablet 0.15-30 mg-mcg</i> | 1 | |
| PREMPHASE ORAL TABLET 0.625-5 MG | 1 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 1 | |
| <i>reclipsen oral tablet 0.15-30 mg-mcg</i> | 1 | |
| <i>setlakin oral tablet 0.15-0.03 mg</i> | 1 | |
| <i>sprintec 28 oral tablet 0.25-35 mg-mcg</i> | 1 | |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>tarina fe 1/20 eq oral tablet 1-20 mg-mcg</i> | 1 | |
| <i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg</i> | 1 | |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>trivora (28) oral tablet 50-30/75-40/ 125-30 mcg</i> | 1 | |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1 | |
| <i>velivet oral tablet 0.1/0.125/0.15 -0.025 mg</i> | 1 | |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i> | 1 | |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i> | 1 | |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i> | 1 | |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | |
| Progestins | | |
| <i>camila oral tablet 0.35 mg</i> | 1 | |
| <i>deblitane oral tablet 0.35 mg</i> | 1 | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML | 1 | |
| <i>errin oral tablet 0.35 mg</i> | 1 | |
| <i>incassia oral tablet 0.35 mg</i> | 1 | |
| <i>lyza oral tablet 0.35 mg</i> | 1 | |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i> | 1 | |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 1 | |
| <i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>megestrol acetate oral suspension 40 mg/ml, 400 mg/10ml, 625 mg/5ml, 800 mg/20ml</i> | 1 | PA |
| <i>megestrol acetate oral tablet 20 mg, 40 mg</i> | 1 | PA |
| <i>nora-be oral tablet 0.35 mg</i> | 1 | |
| <i>norethindrone acetate oral tablet 5 mg</i> | 1 | |
| <i>norethindrone oral tablet 0.35 mg</i> | 1 | |
| <i>norlyroc oral tablet 0.35 mg</i> | 1 | |
| <i>progesterone oral capsule 100 mg, 200 mg</i> | 1 | |
| <i>sharobel oral tablet 0.35 mg</i> | 1 | |
| Selective Estrogen Receptor Modifying Agents | | |
| DUAVEE ORAL TABLET 0.45-20 MG | 1 | |
| <i>raloxifene hcl oral tablet 60 mg</i> | 1 | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid) - Treatment Of Thyroid Conditions | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid) | | |
| EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i> | 1 | |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 1 | |
| Hormonal Agents, Suppressant (Pituitary) - Treatment Of Or Modification Of Pituitary Hormone Secretion | | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| <i>cabergoline oral tablet 0.5 mg</i> | 1 | |
| CAMCEVI SUBCUTANEOUS PREFILLED SYRINGE 42 MG | 1 | PA |
| ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG, 7.5 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL | 1 | PA |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG | 1 | PA |
| <i>leuprolide acetate (3 month) intramuscular injectable 22.5 mg</i> | 1 | PA |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i> | 1 | |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG | 1 | PA |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG | 1 | PA |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG | 1 | PA |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG | 1 | PA |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG | 1 | PA |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1 | PA |
| <i>octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1 | |
| ORGOVYX ORAL TABLET 120 MG | 1 | PA |
| ORIAHNN ORAL CAPSULE THERAPY PACK 300-1-0.5 & 300 MG | 1 | PA |
| ORLISSA ORAL TABLET 150 MG, 200 MG | 1 | PA |
| RECORLEV ORAL TABLET 150 MG | 1 | PA |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML | 1 | PA |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 1 | PA |
| SYNAREL NASAL SOLUTION 2 MG/ML | 1 | PA |
| TARPEYO ORAL CAPSULE DELAYED RELEASE 4 MG | 1 | PA |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG, 22.5 MG, 3.75 MG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Hormonal Agents, Suppressant (Thyroid) - Treatment For Overactive Thyroid | | |
| Antithyroid Agents | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 1 | |
| Immunological Agents - Medications That Alter The Immune System Including Vaccinations | | |
| Angioedema Agents | | |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT | 1 | PA |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT | 1 | PA |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i> | 1 | PA |
| ORLADEYO ORAL CAPSULE 110 MG, 150 MG | 1 | PA |
| Immunoglobulins | | |
| GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML | 1 | B/D |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM | 1 | B/D |
| GAMMAKED INJECTION SOLUTION 1 GM/10ML | 1 | B/D |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML | 1 | B/D |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML | 1 | B/D |
| PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML | 1 | B/D |
| Immunological Agents, Other | | |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii.
Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML | 1 | PA |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG | 1 | PA |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML | 1 | PA |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML | 1 | PA |
| CABLIVI INJECTION KIT 11 MG | 1 | PA |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG | 1 | PA |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 1 | PA |
| COSENTYX INTRAVENOUS SOLUTION 125 MG/5ML | 1 | PA |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO- INJECTOR 150 MG/ML | 1 | PA |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR 150 MG/ML | 1 | PA |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML | 1 | PA |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML | 1 | PA |
| ENTYVIO SUBCUTANEOUS SOLUTION PEN-INJECTOR 108 MG/0.68ML | 1 | PA |
| FABHALTA ORAL CAPSULE 200 MG | 1 | PA |
| ILARIS SUBCUTANEOUS SOLUTION 150 MG/ML | 1 | PA |
| ILUMYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 1 | PA |
| KEVZARA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/1.14ML, 200 MG/1.14ML | 1 | PA |
| KEVZARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/1.14ML, 200 MG/1.14ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML | 1 | PA |
| LITFULO ORAL CAPSULE 50 MG | 1 | PA |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | 1 | PA |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML | 1 | PA |
| ORENCIA INTRAVENOUS SOLUTION RECONSTITUTED 250 MG | 1 | PA |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML, 50 MG/0.4ML, 87.5 MG/0.7ML | 1 | PA |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG | 1 | PA |
| SILIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 210 MG/1.5ML | 1 | PA |
| SKYRIZI INTRAVENOUS SOLUTION 600 MG/10ML | 1 | PA |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | 1 | PA |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML, 360 MG/2.4ML | 1 | PA |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 1 | PA |
| SOTYKTU ORAL TABLET 6 MG | 1 | PA |
| STELARA INTRAVENOUS SOLUTION 130 MG/26ML | 1 | PA |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML | 1 | PA |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML | 1 | PA |
| TALTZ SUBCUTANEOUS SOLUTION AUTO- INJECTOR 80 MG/ML | 1 | PA |
| TALTZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 80 MG/ML | 1 | PA |
| TREMFYA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 MG/ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 1 | PA |
| XELJANZ ORAL SOLUTION 1 MG/ML | 1 | PA |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 1 | PA |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG | 1 | PA |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 16.6 MG/0.416ML, 23 MG/0.574ML, 32.4 MG/0.81ML | 1 | PA |
| Immunostimulants | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5ML | 1 | PA |
| INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT, 18000000 UNIT, 50000000 UNIT | 1 | PA |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 1 | PA |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML | 1 | PA |
| Immunosuppressants | | |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 5 MG | 1 | B/D |
| <i>azathioprine oral tablet 50 mg</i> | 1 | B/D |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML | 1 | PA |
| CIMZIA STARTER KIT SUBCUTANEOUS PREFILLED SYRINGE KIT 6 X 200 MG/ML | 1 | PA |
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG | 1 | PA |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | B/D |
| <i>cyclosporine modified oral solution 100 mg/ml</i> | 1 | B/D |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> | 1 | B/D |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML | 1 | PA |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML | 1 | PA |
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG | 1 | PA |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML | 1 | PA |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG, 4 MG | 1 | B/D |
| <i>everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 1 | B/D |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 1 | B/D |
| <i>gengraf oral solution 100 mg/ml</i> | 1 | B/D |
| HADLIMA PUSHTOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML | 1 | PA |
| HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML | 1 | PA |
| HUMIRA (2 PEN) SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML, 80 MG/0.8ML | 1 | PA |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML | 1 | PA |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML | 1 | PA |
| HUMIRA-PED<40KG CROHNS STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML & 40MG/0.4ML | 1 | PA |
| HUMIRA-PED>=40KG CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML | 1 | PA |
| HUMIRA-PED>=40KG UC STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML | 1 | PA |
| HUMIRA-PS/UV/ADOL HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| HUMIRA-PSORIASIS/UVEIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML | 1 | PA |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> | 1 | |
| LUPKYNIS ORAL CAPSULE 7.9 MG | 1 | PA |
| <i>methotrexate sodium (pf) injection solution 50 mg/2ml</i> | 1 | |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i> | 1 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 1 | |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | 1 | B/D |
| <i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i> | 1 | B/D |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | 1 | B/D |
| <i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i> | 1 | B/D |
| <i>mycophenolic acid oral tablet delayed release 180 mg, 360 mg</i> | 1 | B/D |
| NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED 250 MG | 1 | B/D |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 1 | B/D |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG | 1 | B/D |
| REZUROCK ORAL TABLET 200 MG | 1 | PA |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML | 1 | B/D |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML, 50 MG/0.5ML | 1 | PA |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 50 MG/0.5ML | 1 | PA |
| <i>sirolimus oral solution 1 mg/ml</i> | 1 | B/D |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | B/D |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | 1 | B/D |
| Vaccines | | |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED | 1 | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 1 | |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML | 1 | |
| BCG VACCINE INJECTION SOLUTION RECONSTITUTED 50 MG | 1 | |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 1 | |
| BEYFORTUS INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 100 MG/ML, 50 MG/0.5ML | 1 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5 | 1 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5 | 1 | |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | 1 | |
| DIPHThERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION 25-5 LFU/0.5ML | 1 | B/D |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML | 1 | B/D |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML | 1 | B/D |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION | 1 | |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 1 | |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML | 1 | |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML | 1 | B/D |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML | 1 | B/D |
| INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10 | 1 | |
| IPOL INJECTION INJECTABLE | 1 | |
| IXIARO INTRAMUSCULAR SUSPENSION | 1 | |
| JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML | 1 | |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 1 | |
| MENACTRA INTRAMUSCULAR SOLUTION | 1 | |
| MENQUADFI INTRAMUSCULAR SOLUTION | 1 | |
| MENVEO INTRAMUSCULAR SOLUTION | 1 | |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED | 1 | |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | 1 | |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 1 | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML | 1 | |
| PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED | 1 | |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED | 1 | |
| PREHEVBRIO INTRAMUSCULAR SUSPENSION 10 MCG/ML | 1 | B/D |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED | 1 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | 1 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML) | 1 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 1 | |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 1 | B/D |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML | 1 | B/D |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML | 1 | B/D |
| ROTARIX ORAL SUSPENSION | 1 | |
| ROTARIX ORAL SUSPENSION RECONSTITUTED | 1 | |
| ROTATEQ ORAL SOLUTION | 1 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | 1 | QL (2 EA per 999 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2- 2 LF/0.5ML | 1 | B/D |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION) | 1 | B/D |
| TETANUS-DIPHThERIA TOXOIDS TD INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML | 1 | B/D |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML | 1 | |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 1 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML | 1 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML | 1 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML | 1 | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML | 1 | |
| VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML | 1 | |
| VAXCHORA ORAL SUSPENSION RECONSTITUTED | 1 | |
| VAXELIS INTRAMUSCULAR SUSPENSION | 1 | |
| VAXELIS INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE) | 1 | |
| Inflammatory Bowel Disease Agents - Treatment Of Ulcerative Colitis Or Crohn's Disease | | |
| Aminosalicylates | | |
| <i>balsalazide disodium oral capsule 750 mg</i> | 1 | |
| <i>mesalamine oral capsule delayed release 400 mg</i> | 1 | |
| <i>mesalamine oral tablet delayed release 1.2 gm</i> | 1 | |
| <i>mesalamine rectal enema 4 gm</i> | 1 | |
| <i>mesalamine rectal suppository 1000 mg</i> | 1 | |
| <i>mesalamine-cleanser rectal kit 4 gm</i> | 1 | |
| <i>sulfasalazine oral tablet 500 mg</i> | 1 | |
| <i>sulfasalazine oral tablet delayed release 500 mg</i> | 1 | |
| Glucocorticoids | | |
| <i>budesonide er oral tablet extended release 24 hour 9 mg</i> | 1 | PA |
| <i>budesonide oral capsule delayed release particles 3 mg</i> | 1 | |
| <i>dexamethasone intensol oral concentrate 1 mg/ml</i> | 1 | |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i> | 1 | |
| <i>dexamethasone sodium phosphate injection solution 120 mg/30ml, 20 mg/5ml, 4 mg/ml</i> | 1 | |
| <i>dexamethasone sodium phosphate injection solution prefilled syringe 4 mg/ml</i> | 1 | |
| <i>hydrocortisone rectal enema 100 mg/60ml</i> | 1 | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml</i> | 1 | |
| <i>prednisone intensol oral concentrate 5 mg/ml</i> | 1 | |
| <i>prednisone oral solution 5 mg/5ml</i> | 1 | |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | |
| <i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| Metabolic Bone Disease Agents - Treatment Of Bone Diseases Including Osteoporosis | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i> | 1 | |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i> | 1 | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | 1 | |
| <i>calcitriol oral solution 1 mcg/ml</i> | 1 | |
| <i>cinacalcet hcl oral tablet 30 mg, 60 mg</i> | 1 | QL (60 EA per 30 days) |
| <i>cinacalcet hcl oral tablet 90 mg</i> | 1 | QL (120 EA per 30 days) |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | 1 | |
| <i>ibandronate sodium oral tablet 150 mg</i> | 1 | |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG, 50 MCG, 75 MCG | 1 | PA |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i> | 1 | |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML | 1 | PA |
| <i>risedronate sodium oral tablet 150 mg, 30 mg, 35 mg, 35 mg (12 pack), 35 mg (4 pack), 5 mg</i> | 1 | |
| TERIPARATIDE (RECOMBINANT) SUBCUTANEOUS SOLUTION PEN-INJECTOR 600 MCG/2.4ML, 620 MCG/2.48ML | 1 | PA |
| TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 600 MCG/2.4ML | 1 | PA |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML | 1 | PA |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML | 1 | PA |
| Ophthalmic Agents - Treatment Of Eye Conditions | | |
| Ophthalmic Agents, Other | | |
| <i>atropine sulfate ophthalmic solution 1 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>bevacizumab intravitreal solution prefilled syringe 1.25 mg/0.05ml, 2 mg/0.08ml, 2.5 mg/0.1ml, 3 mg/0.12ml, 3.25 mg/0.13ml, 3.75 mg/0.15ml</i> | 1 | |
| <i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %</i> | 1 | |
| <i>cyclosporine ophthalmic emulsion 0.05 %</i> | 1 | QL (60 EA per 30 days) |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 % | 1 | PA |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i> | 1 | |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i> | 1 | |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 1 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 1 | |
| OXERVATE OPHTHALMIC SOLUTION 0.002 % | 1 | PA |
| <i>proparacaine hcl ophthalmic solution 0.5 %</i> | 1 | |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i> | 1 | |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i> | 1 | |
| Ophthalmic Anti-allergy Agents | | |
| <i>azelastine hcl ophthalmic solution 0.05 %</i> | 1 | |
| <i>cromolyn sodium ophthalmic solution 4 %</i> | 1 | |
| Ophthalmic Anti-Infectives | | |
| <i>ak-poly-bac ophthalmic ointment 500-10000 unit/gm</i> | 1 | |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i> | 1 | |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i> | 1 | |
| <i>ciprofloxacin hcl ophthalmic solution 0.3 %</i> | 1 | |
| <i>erythromycin ophthalmic ointment 5 mg/gm</i> | 1 | |
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i> | 1 | |
| NATACYN OPHTHALMIC SUSPENSION 5 % | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ofloxacin ophthalmic solution 0.3 %</i> | 1 | |
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic ointment 10 %</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic solution 10 %</i> | 1 | |
| <i>tobramycin ophthalmic solution 0.3 %</i> | 1 | |
| Ophthalmic Anti-inflammatories | | |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i> | 1 | |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i> | 1 | |
| <i>difluprednate ophthalmic emulsion 0.05 %</i> | 1 | |
| <i>fluorometholone ophthalmic suspension 0.1 %</i> | 1 | |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i> | 1 | |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i> | 1 | |
| <i>prednisolone acetate ophthalmic suspension 1 %</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic solution 1 %</i> | 1 | |
| Ophthalmic Beta-Adrenergic Blocking Agents | | |
| <i>carteolol hcl ophthalmic solution 1 %</i> | 1 | |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i> | 1 | |
| Ophthalmic Intraocular Pressure Lowering Agents, Other | | |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i> | 1 | |
| <i>brimonidine tartrate ophthalmic solution 0.1 %, 0.2 %</i> | 1 | |
| <i>brinzolamide ophthalmic suspension 1 %</i> | 1 | ST |
| <i>dorzolamide hcl ophthalmic solution 2 %</i> | 1 | |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 % | 1 | ST |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 % | 1 | ST |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 % | 1 | |
| Ophthalmic Prostaglandin and Prostanoid Analogs | | |
| <i>latanoprost ophthalmic solution 0.005 %</i> | 1 | |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % | 1 | |
| <i>travoprost (bak free) ophthalmic solution 0.004 %</i> | 1 | |
| Otic Agents - Treatment Of Ear Conditions | | |
| Otic Agents | | |
| <i>acetic acid otic solution 2 %</i> | 1 | |
| <i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1 %</i> | 1 | |
| <i>hydrocortisone-acetic acid otic solution 1-2 %</i> | 1 | |
| <i>neomycin-polymyxin-hc otic solution 1 %, 3.5-10000-1</i> | 1 | |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i> | 1 | |
| <i>ofloxacin otic solution 0.3 %</i> | 1 | |
| Respiratory Tract/ Pulmonary Agents - Treatment Of Breathing Conditions | | |
| Antihistamines | | |
| <i>azelastine hcl nasal solution 0.1 %, 0.15 %, 137 mcg/spray</i> | 1 | |
| <i>cetirizine hcl oral solution 1 mg/ml, 5 mg/5ml</i> | 1 | |
| <i>clemastine fumarate oral tablet 2.68 mg</i> | 1 | PA |
| <i>cyproheptadine hcl oral syrup 2 mg/5ml</i> | 1 | PA |
| <i>cyproheptadine hcl oral tablet 4 mg</i> | 1 | PA |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i> | 1 | PA |
| <i>hydroxyzine hcl oral tablet 10 mg</i> | 1 | |
| <i>hydroxyzine hcl oral tablet 25 mg, 50 mg</i> | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i> | 1 | |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i> | 1 | |
| <i>promethazine hcl oral solution 6.25 mg/5ml</i> | 1 | PA |
| Anti-inflammatories, Inhaled Corticosteroids | | |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | 1 | |
| <i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i> | 1 | B/D |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i> | 1 | |
| <i>fluticasone propionate diskus inhalation aerosol powder breath activated 100 mcg/act, 250 mcg/act, 50 mcg/act</i> | 1 | |
| <i>fluticasone propionate hfa inhalation aerosol 110 mcg/act, 220 mcg/act, 44 mcg/act</i> | 1 | |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i> | 1 | |
| <i>mometasone furoate nasal suspension 50 mcg/act</i> | 1 | |
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT | 1 | |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT | 1 | |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 1 | B/D |
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i> | 1 | |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT | 1 | |
| <i>tiotropium bromide monohydrate inhalation capsule 18 mcg</i> | 1 | |
| Bronchodilators, Sympathomimetic | | |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act, 108 (90 base) mcg/act (nda020503), 108 (90 base) mcg/act (nda020983)</i> | 1 | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, (5 mg/ml) 0.5%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i> | 1 | B/D |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i> | 1 | |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i> | 1 | |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | 1 | QL (2 EA per 30 days) |
| <i>formoterol fumarate inhalation nebulization solution 20 mcg/2ml</i> | 1 | B/D |
| <i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/3ml</i> | 1 | B/D |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT | 1 | |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT | 1 | |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i> | 1 | |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT | 1 | |
| Cystic Fibrosis Agents | | |
| BRONCHITOL INHALATION CAPSULE 40 MG | 1 | PA |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG | 1 | PA |
| KALYDECO ORAL PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 1 | PA |
| KALYDECO ORAL TABLET 150 MG | 1 | PA |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG, 75-94 MG | 1 | PA |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 1 | PA |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | 1 | B/D |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG | 1 | PA |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i> | 1 | B/D; QL (280 ML per 56 days) |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG | 1 | PA |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG | 1 | PA |
| Mast Cell Stabilizers | | |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i> | 1 | B/D |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i> | 1 | |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> | 1 | |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i> | 1 | |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i> | 1 | |
| <i>theophylline oral elixir 80 mg/15ml</i> | 1 | |
| <i>theophylline oral solution 80 mg/15ml</i> | 1 | |
| Pulmonary Antihypertensives | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 1 | PA |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> | 1 | PA |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> | 1 | PA |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i> | 1 | PA |
| <i>sildenafil citrate oral tablet 20 mg</i> | 1 | PA |
| <i>tadalafil (pah) oral tablet 20 mg</i> | 1 | PA |
| TADLIQ ORAL SUSPENSION 20 MG/5ML | 1 | PA |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 112 X 32MCG & 112 X48MCG, 16 MCG, 32 MCG, 48 MCG, 64 MCG | 1 | PA |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG | 1 | PA |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 1 | PA |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML | 1 | PA |
| Pulmonary Fibrosis Agents | | |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 1 | PA |
| <i>pirfenidone oral capsule 267 mg</i> | 1 | PA |
| <i>pirfenidone oral tablet 267 mg, 534 mg, 801 mg</i> | 1 | PA |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i> | 1 | B/D |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT | 1 | |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT | 1 | |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT | 1 | |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH | 1 | |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT | 1 | |
| BUDESONIDE-FORMOTEROL FUMARATE INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT | 1 | |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT | 1 | |
| DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 MG/1.14ML, 300 MG/2ML | 1 | PA |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML, 200 MG/1.14ML, 300 MG/2ML | 1 | PA |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML | 1 | PA |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 113-14 mcg/act, 232-14 mcg/act, 250-50 mcg/act, 500-50 mcg/act, 55-14 mcg/act</i> | 1 | |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i> | 1 | B/D |
| <i>montelukast sodium oral packet 4 mg</i> | 1 | |
| <i>montelukast sodium oral tablet 10 mg</i> | 1 | |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i> | 1 | |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML | 1 | PA |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40 MG/0.4ML | 1 | PA |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100 MG | 1 | PA |
| <i>promethazine vc oral syrup 6.25-5 mg/5ml</i> | 1 | PA |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i> | 1 | PA |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | 1 | |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT | 1 | |
| <i>wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 1 | |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML | 1 | PA |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML | 1 | PA |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG | 1 | PA |
| Skeletal Muscle Relaxants - Treatment Of Muscle Tightness | | |
| Skeletal Muscle Relaxants | | |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>carisoprodol oral tablet 250 mg, 350 mg</i> | 1 | PA; QL (90 EA per 30 days) |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | PA; QL (180 EA per 30 days) |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i> | 1 | PA; QL (90 EA per 30 days) |
| <i>metaxalone oral tablet 800 mg</i> | 1 | PA; QL (120 EA per 30 days) |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | PA |
| <i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i> | 1 | PA |
| Sleep Disorder Agents - Treatment Of Insomnia | | |
| Sleep Promoting Agents | | |
| <i>doxepin hcl oral tablet 3 mg, 6 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML | 1 | PA |
| <i>ramelteon oral tablet 8 mg</i> | 1 | QL (30 EA per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> | 1 | PA |
| <i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| <i>zolpidem tartrate oral tablet 10 mg</i> | 1 | PA; QL (30 EA per 30 days) |
| <i>zolpidem tartrate oral tablet 5 mg</i> | 1 | QL (30 EA per 30 days) |
| Wakefulness Promoting Agents | | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> | 1 | PA |
| <i>modafinil oral tablet 100 mg, 200 mg</i> | 1 | PA |
| <i>sodium oxybate oral solution 500 mg/ml</i> | 1 | PA |
| XYREM ORAL SOLUTION 500 MG/ML | 1 | PA |
| XYWAV ORAL SOLUTION 500 MG/ML | 1 | PA |

Last Updated 05/2024

You can find information on what the symbols and abbreviations in this table mean by going to page vii. Medications that are contained within a compound may require prior authorization.

Index

| | | |
|---|--------|--|
| A | | |
| <i>abacavir sulfate</i> | 37 | |
| <i>abacavir sulfate-lamivudine</i> ... | 38 | |
| ABELCET | 19 | |
| ABILIFY ASIMTUFII | 32 | |
| ABILIFY MAINTENA | 32 | |
| <i>abiraterone acetate</i> | 22 | |
| ABRYSVO | 88 | |
| <i>acamprosate calcium</i> | 4 | |
| <i>acarbose</i> | 41 | |
| <i>acebutolol hcl</i> | 52 | |
| <i>acetaminophen-codeine</i> | 3 | |
| <i>acetazolamide</i> | 54 | |
| <i>acetazolamide er</i> | 95 | |
| <i>acetic acid</i> | 96 | |
| <i>acetylcysteine</i> | 100 | |
| <i>acitretin</i> | 62 | |
| ACTEMRA | 84 | |
| ACTEMRA ACTPEN | 83 | |
| ACTHAR | 73 | |
| ACTHIB | 89 | |
| ACTIMMUNE | 86 | |
| <i>acyclovir</i> | 36, 66 | |
| <i>acyclovir sodium</i> | 36 | |
| ADACEL | 89 | |
| <i>adapalene</i> | 62 | |
| <i>adapalene-benzoyl peroxide</i> ... | 63 | |
| <i>adefovir dipivoxil</i> | 36 | |
| ADEMPAS | 99 | |
| ADVAIR HFA | 100 | |
| <i>afirmelle</i> | 76 | |
| AIMOVIG | 20 | |
| AKEEGA | 23 | |
| <i>ak-poly-bac</i> | 94 | |
| <i>albendazole</i> | 29 | |
| <i>albuterol sulfate</i> | 98 | |
| <i>albuterol sulfate hfa</i> | 97 | |
| <i>alclometasone dipropionate</i> ... | 63 | |
| <i>alcohol</i> | 65 | |
| ALECENSA | 24 | |
| <i>alendronate sodium</i> | 93 | |
| <i>alfuzosin hcl er</i> | 73 | |
| <i>aliskiren fumarate</i> | 54 | |
| <i>allopurinol</i> | 20 | |
| <i>alosectron hcl</i> | 70 | |
| <i>alprazolam</i> | 40 | |
| <i>alprazolam intensol</i> | 40 | |
| <i>altavera</i> | 76 | |
| ALUNBRIG | 24 | |
| <i>alyacen 1/35</i> | 76 | |
| <i>alyacen 7/7/7</i> | 76 | |
| <i>amabelz</i> | 76 | |
| <i>amantadine hcl</i> | 30 | |
| <i>ambrisentan</i> | 99 | |
| <i>amikacin sulfate</i> | 5 | |
| <i>amiloride hcl</i> | 56 | |
| <i>amiloride-hydrochlorothiazide</i> | 54 | |
| <i>amiodarone hcl</i> | 52 | |
| <i>amitriptyline hcl</i> | 17 | |
| <i>amlodipine besy-benazepril hcl</i> | 54 | |
| <i>amlodipine besylate</i> | 53 | |
| <i>amlodipine besylate-valsartan</i> .. | 54 | |
| <i>amlodipine-olmesartan</i> | 54 | |
| <i>amlodipine-valsartan-hctz</i> | 54 | |
| <i>ammonium lactate</i> | 63 | |
| <i>amnestem</i> | 63 | |
| <i>amoxapine</i> | 17 | |
| <i>amoxicillin</i> | 8 | |
| <i>amoxicillin-pot clavulanate</i> | 8 | |
| <i>amoxicillin-pot clavulanate er</i> .. | 8 | |
| <i>amphetamine-dextroamphet er</i> | 58 | |
| <i>amphetamine-</i> <i>dextroamphetamine</i> | 58 | |
| <i>amphotericin b</i> | 19 | |
| <i>amphotericin b liposome</i> | 19 | |
| <i>ampicillin</i> | 8 | |
| <i>ampicillin sodium</i> | 9 | |
| <i>ampicillin-sulbactam sodium</i> ... | 9 | |
| <i>anagrelide hcl</i> | 48 | |
| <i>anastrozole</i> | 24 | |
| ANORO ELLIPTA | 100 | |
| <i>apomorphine hcl</i> | 30 | |
| <i>aprepitant</i> | 18 | |
| <i>apri</i> | 76 | |
| APTIOM | 14 | |
| APTIVUS | 39 | |
| ARALAST NP | 71 | |
| <i>aranelle</i> | 76 | |
| ARANESP (ALBUMIN FREE) | 49 | |
| ARCALYST | 84 | |
| AREXVY | 89 | |
| <i>aripiprazole</i> | 32 | |
| ARISTADA | 32, 33 | |
| ARISTADA INITIO | 32 | |
| <i>armodafinil</i> | 102 | |
| ARNUIITY ELLIPTA | 97 | |
| <i>ascomp-codeine</i> | 1 | |
| <i>asenapine maleate</i> | 33 | |
| <i>aspirin-dipyridamole er</i> | 50 | |
| ASTAGRAF XL | 86 | |
| <i>atazanavir sulfate</i> | 39 | |
| <i>atenolol</i> | 52 | |
| <i>atenolol-chlorthalidone</i> | 54 | |
| <i>atomoxetine hcl</i> | 59 | |
| <i>atorvastatin calcium</i> | 56 | |
| <i>atovaquone</i> | 29 | |
| <i>atovaquone-proguanil hcl</i> | 29 | |
| <i>atropine sulfate</i> | 93 | |
| ATROVENT HFA | 97 | |
| <i>aubra eq</i> | 76 | |
| AUGTYRO | 24 | |
| <i>aurovela 1.5/30</i> | 76 | |
| <i>aurovela fe 1.5/30</i> | 76 | |
| <i>aurovela fe 1/20</i> | 76 | |
| AUSTEDO | 60 | |
| AUSTEDO PATIENT TITRATION KIT | 60 | |
| AUVELITY | 15 | |
| <i>aviane</i> | 76 | |
| <i>ayuna</i> | 76 | |
| AYVAKIT | 24 | |
| <i>azathioprine</i> | 86 | |
| <i>azelastine hcl</i> | 94, 96 | |
| <i>azithromycin</i> | 10 | |
| <i>aztreonam</i> | 5 | |
| B | | |
| <i>bac</i> | 1 | |
| <i>bacitracin</i> | 94 | |
| <i>bacitracin-polymyxin b</i> | 94 | |
| <i>baclofen</i> | 35 | |
| BAFIERTAM | 61 | |
| <i>balsalazide disodium</i> | 92 | |
| BALVERSA | 25 | |
| <i>balziva</i> | 76 | |
| BARACLUDE | 36 | |
| BCG VACCINE | 89 | |
| <i>benazepril hcl</i> | 51 | |
| <i>benazepril-hydrochlorothiazide</i> | 54 | |
| BENLYSTA | 84 | |

| | | |
|--|---|--|
| <i>benzoyl peroxide-erythromycin</i> | <i>buprenorphine hcl-naloxone hcl</i> | <i>cefepime hcl</i>7 |
|63 |4 | <i>cefepime-dextrose</i>7 |
| <i>benztropine mesylate</i>30 | <i>bupropion hcl</i>15 | <i>cefixime</i>7 |
| BESREMI.....23 | <i>bupropion hcl er (smoking det)</i> 5 | <i>cefotaxime sodium</i>7 |
| <i>betaine</i>71 | <i>bupropion hcl er (sr)</i>15 | <i>cefoxitin sodium</i>7 |
| <i>betamethasone dipropionate</i> .63, | <i>bupropion hcl er (xl)</i>15 | <i>cefoxitin sodium-dextrose</i>7 |
| 64 | <i>buspirone hcl</i>40 | <i>cefpodoxime proxetil</i>7 |
| <i>betamethasone dipropionate aug</i> | <i>butalbital-acetaminophen</i>1 | <i>cefprozil</i>7 |
|63 | <i>butalbital-apap-caff-cod</i>1 | <i>ceftazidime</i>7 |
| <i>betamethasone valerate</i>64 | <i>butalbital-apap-caffeine</i>1 | <i>ceftazidime and dextrose</i>7 |
| BETASERON.....61 | <i>butalbital-asa-caff-codeine</i>1 | <i>ceftriaxone sodium</i>8 |
| <i>betaxolol hcl</i>52 | <i>butalbital-aspirin-caffeine</i>1 | <i>ceftriaxone sodium in dextrose</i> 8 |
| <i>bethanechol chloride</i>73 | <i>butorphanol tartrate</i>3 | <i>ceftriaxone sodium-dextrose</i>8 |
| <i>bevacizumab</i>94 | C | <i>cefuroxime axetil</i>8 |
| BEVESPI AEROSPHERE...100 | <i>cabergoline</i>81 | <i>cefuroxime sodium</i>8 |
| <i>bexarotene</i>29 | CABLIVI.....84 | <i>celecoxib</i>1 |
| BEXSERO.....89 | CABOMETYX.....25 | <i>cephalexin</i>8 |
| BEYFORTUS.....89 | <i>calcipotriene</i>65 | CERDELGA.....71 |
| <i>bicalutamide</i>22 | <i>calcitonin (salmon)</i>93 | <i>cetirizine hcl</i>96 |
| BICILLIN L-A.....9 | <i>calcitriol</i>65, 93 | <i>cevimeline hcl</i>62 |
| BIKTARVY.....38 | <i>calcium acetate (phos binder)</i> 69 | <i>chateal eq</i>76 |
| <i>bisoprolol fumarate</i>52 | CALQUENCE.....25 | <i>chlorhexidine gluconate</i>62 |
| <i>bisoprolol-hydrochlorothiazide</i> | CAMCEVI.....81 | <i>chloroquine phosphate</i>29 |
|54 | <i>camila</i>80 | <i>chlorthalidone</i>18 |
| <i>blisovi fe 1.5/30</i>76 | CAMZYOS.....54 | <i>chlorthalidone</i>56 |
| <i>blisovi fe 1/20</i>76 | <i>candesartan cilexetil</i>51 | <i>chlorzoxazone</i>102 |
| BOOSTRIX.....89 | <i>candesartan cilexetil-hctz</i>54 | CHOLBAM.....71 |
| <i>bosentan</i>99 | CAPLYTA.....33 | <i>cholestyramine</i>57 |
| BOSULIF.....25 | CAPRELSA.....25 | <i>cholestyramine light</i>57 |
| BRAFTOVI.....25 | <i>captopril</i>51 | CIBINQO.....84 |
| BREO ELLIPTA.....100 | <i>carbamazepine</i>14 | <i>ciclopirox</i>66 |
| BREZTRI AEROSPHERE ..100 | <i>carbamazepine er</i>14 | <i>ciclopirox olamine</i>66 |
| <i>briellyn</i>76 | <i>carbidopa</i>31 | <i>cilostazol</i>50 |
| BRILINTA.....50 | <i>carbidopa-levodopa</i>31 | CIMDUO.....38 |
| <i>brimonidine tartrate</i>95 | <i>carbidopa-levodopa er</i>31 | <i>cimetidine</i>70 |
| <i>brimonidine tartrate-timolol</i> ..94 | <i>carbidopa-levodopa-entacapone</i> | <i>cimetidine hcl</i>70 |
| <i>brinzolamide</i>95 |30 | CIMZIA.....86 |
| BRIVIACT.....11 | <i>carglumic acid</i>67 | CIMZIA (2 SYRINGE).....86 |
| <i>bromocriptine mesylate</i>30, 31 | <i>carisoprodol</i>102 | CIMZIA STARTER KIT.....86 |
| BRONCHITOL.....98 | <i>carteolol hcl</i>95 | <i>cinacalcet hcl</i>93 |
| BRUKINSA.....25 | <i>cartia xt</i>53 | CINRYZE.....83 |
| <i>budesonide</i>92, 97 | <i>carvedilol</i>52 | <i>ciprofloxacin hcl</i>10, 94 |
| <i>budesonide er</i>92 | <i>casposfungin acetate</i>19 | <i>ciprofloxacin in d5w</i>10 |
| BUDESONIDE- | CAYSTON.....98 | <i>ciprofloxacin-dexamethasone</i> 96 |
| FORMOTEROL | <i>cefaclor</i>6 | <i>citalopram hydrobromide</i>16 |
| FUMARATE.....100 | <i>cefaclor er</i>6 | <i>claravis</i>63 |
| <i>bumetanide</i>56 | <i>cefadroxil</i>6 | <i>clarithromycin</i>10 |
| <i>buprenorphine</i>2 | <i>cefazolin sodium</i>7 | <i>clarithromycin er</i>10 |
| <i>buprenorphine hcl</i>4 | <i>cefazolin sodium-dextrose</i>7 | <i>clemastine fumarate</i>96 |
| | <i>cefdinir</i>7 | <i>clindamycin hcl</i>5 |

| | | | | | |
|--|-------|---|--------|--|-------------|
| <i>clindamycin palmitate hcl</i> | 5 | CREON | 71 | DIACOMIT | 11 |
| <i>clindamycin phos-benzoyl perox</i> | 63 | <i>cromolyn sodium</i> | 94, 99 | DIASTAT ACUDIAL | 13 |
| <i>clindamycin phosphate</i> | 6, 66 | <i>cryselle-28</i> | 77 | <i>diazepam</i> | 13, 41 |
| <i>clindamycin phosphate in d5w</i> .5 | | CUVRIOR | 68 | <i>diazepam intensol</i> | 40 |
| <i>clindamycin phosphate in nacl</i> .5 | | <i>cyclobenzaprine hcl</i> | 102 | <i>diazoxide</i> | 44 |
| <i>clinisol sf</i> | 68 | <i>cyclophosphamide</i> | 22 | <i>dichlorphenamide</i> | 71 |
| <i>clobazam</i> | 13 | <i>cyclosporine</i> | 86, 94 | <i>diclofenac potassium</i> | 1 |
| <i>clobetasol prop emollient base</i> | 64 | <i>cyclosporine modified</i> | 86 | <i>diclofenac sodium</i> | 1, 95 |
| <i>clobetasol propionate</i> | 64 | <i>cyproheptadine hcl</i> | 96 | <i>diclofenac sodium er</i> | 1 |
| <i>clobetasol propionate e</i> | 64 | <i>cyred eq</i> | 77 | <i>dicloxacillin sodium</i> | 9 |
| <i>clomipramine hcl</i> | 17 | CYSTAGON | 71 | <i>dicyclomine hcl</i> | 70 |
| <i>clonazepam</i> | 40 | CYSTARAN | 94 | DIFICID | 10 |
| <i>clonidine</i> | 50 | D | | <i>diflunisal</i> | 1 |
| <i>clonidine hcl</i> | 50 | <i>dalfampridine er</i> | 61 | <i>difluprednate</i> | 95 |
| <i>clonidine hcl er</i> | 59 | <i>danazol</i> | 75 | <i>digoxin</i> | 54 |
| <i>clopidogrel bisulfate</i> | 50 | <i>dantrolene sodium</i> | 35 | <i>dihydroergotamine mesylate</i> .. | 20 |
| <i>clorazepate dipotassium</i> | 40 | <i>dapsone</i> | 21 | DILANTIN..... | 14 |
| <i>clotrimazole</i> | 19 | DAPTACEL | 89 | <i>diltiazem hcl</i> | 53 |
| <i>clotrimazole-betamethasone</i> ...66 | | <i>daptomycin</i> | 6 | <i>diltiazem hcl er</i> | 53 |
| <i>clozapine</i> | 35 | <i>darifenacin hydrobromide er</i> ..72 | | <i>diltiazem hcl er beads</i> | 53 |
| COARTEM | 30 | <i>darunavir</i> | 39 | <i>diltiazem hcl er coated beads</i> .53 | |
| <i>colchicine</i> | 20 | DAURISMO..... | 25 | <i>dilt-xr</i> | 54 |
| <i>colchicine-probenecid</i> | 20 | <i>deblitane</i> | 80 | <i>dimethyl fumarate</i> | 61 |
| <i>colesevelam hcl</i> | 57 | <i>deferasirox</i> | 68 | <i>dimethyl fumarate starter pack</i> | 61 |
| <i>colestipol hcl</i> | 57 | <i>deferasirox granules</i> | 68 | <i>diphenoxylate-atropine</i> | 70 |
| <i>colistimethate sodium (cba)</i> | 6 | <i>deferiprone</i> | 68 | DIPHThERIA-TETANUS | |
| COMBIPATCH..... | 77 | DELSTRIGO..... | 38 | TOXOIDS DT | 89 |
| COMBIVENT RESPIMAT . 100 | | DEPO-SUBQ PROVERA 104 | 80 | <i>dipyridamole</i> | 50 |
| COMETRIQ (100 MG DAILY DOSE) | 25 | DESCOVY | 38 | <i>disopyramide phosphate</i> | 52 |
| COMETRIQ (140 MG DAILY DOSE) | 25 | <i>desipramine hcl</i> | 17 | <i>disulfiram</i> | 4 |
| COMETRIQ (60 MG DAILY DOSE) | 25 | <i>desmopressin ace spray refrig</i> 74 | | <i>divalproex sodium</i> | 12 |
| COMPLERA | 38 | <i>desmopressin acetate</i> | 74 | <i>divalproex sodium er</i> | 12 |
| <i>constulose</i> | 69 | <i>desmopressin acetate spray</i> ...74 | | <i>dofetilide</i> | 52 |
| COPIKTRA | 25 | <i>desogestrel-ethinyl estradiol</i> ..77 | | <i>donepezil hcl</i> | 15 |
| CORLANOR..... | 54 | <i>desonide</i> | 64 | DOPTELET | 50 |
| CORTROPHIN | 73 | <i>desoximetasone</i> | 64 | <i>dorzolamide hcl</i> | 95 |
| COSENTYX..... | 84 | <i>desvenlafaxine succinate er</i> ...16 | | <i>dorzolamide hcl-timolol mal</i> ...94 | |
| COSENTYX (300 MG DOSE) | 84 | <i>dexamethasone</i> | 73, 92 | DOVATO | 38 |
| COSENTYX SENSOREADY (300 MG)..... | 84 | <i>dexamethasone intensol</i> | 92 | <i>doxazosin mesylate</i> | 51 |
| COSENTYX SENSOREADY PEN | 84 | <i>dexamethasone sodium phosphate</i> | 92, 95 | <i>doxepin hcl</i> | 17, 64, 102 |
| COSENTYX UNOREADY ...84 | | <i>dexmethylphenidate hcl</i> | 59 | <i>doxercalciferol</i> | 93 |
| COTELLIC..... | 25 | <i>dexmethylphenidate hcl er</i> | 59 | <i>doxy 100</i> | 11 |
| | | <i>dextroamphetamine sulfate</i> | 59 | <i>doxycycline hyclate</i> | 11 |
| | | <i>dextroamphetamine sulfate er</i> 58, 59 | | <i>doxycycline monohydrate</i> | 11 |
| | | <i>dextrose</i> | 68 | <i>dronabinol</i> | 18 |
| | | <i>dextrose-nacl</i> | 68 | <i>drospirenone-ethinyl estradiol</i> 77 | |
| | | <i>dextrose-sodium chloride</i> | 68 | DROXIA..... | 23 |
| | | | | <i>droxidopa</i> | 50 |
| | | | | DUAVEE..... | 80 |

| | | | | | |
|--|--------|--|--------|---|--------|
| <i>duloxetine hcl</i> | 60 | EQUETRO | 41 | <i>febuxostat</i> | 20 |
| DUPIXENT | 100 | <i>ergotamine-caffeine</i> | 20 | <i>felbamate</i> | 12 |
| <i>dutasteride</i> | 73 | ERIVEDGE | 25 | <i>felodipine er</i> | 53 |
| E | | ERLEADA | 22 | <i>femynor</i> | 77 |
| <i>ec-naproxen</i> | 1 | <i>erlotinib hcl</i> | 25 | <i>fenofibrate</i> | 56 |
| <i>econazole nitrate</i> | 19 | <i>errin</i> | 80 | <i>fenofibrate micronized</i> | 56 |
| EDURANT..... | 37 | <i>ertapenem sodium</i> | 9 | <i>fenofibric acid</i> | 56 |
| <i>efavirenz</i> | 37 | <i>ery</i> | 67 | <i>fentanyl</i> | 2 |
| <i>efavirenz-emtricitab-tenofo df</i> 38 | | ERYTHROCIN | | <i>fentanyl citrate</i> | 3 |
| <i>efavirenz-lamivudine-tenofovir</i> | | LACTOBIONATE | 10 | <i>fesoterodine fumarate er</i> | 72 |
| | 38 | <i>erythrocin stearate</i> | 10 | FETZIMA..... | 16 |
| EGRIFTA SV | 74 | <i>erythromycin</i> | 67, 94 | FETZIMA TITRATION | 16 |
| ELIGARD | 81 | <i>erythromycin base</i> | 10 | FILSPARI..... | 73 |
| ELIQUIS | 48 | <i>erythromycin ethylsuccinate</i> .. | 10 | <i>finasteride</i> | 73 |
| ELIQUIS DVT/PE STARTER | | <i>escitalopram oxalate</i> | 16 | <i> fingolimod hcl</i> | 61 |
| PACK | 48 | <i>esomeprazole magnesium</i> | 71 | FINTEPLA | 12 |
| ELMIRON..... | 73 | <i>estarylla</i> | 77 | FIRDAPSE | 60 |
| <i>eluryng</i> | 77 | <i>estradiol</i> | 75, 76 | FIRMAGON..... | 82 |
| EMEND..... | 18 | <i>estradiol valerate</i> | 76 | FIRMAGON (240 MG DOSE) | |
| EMGALITY | 21 | <i>estradiol-norethindrone acet</i> .. | 77 | | 82 |
| EMGALITY (300 MG DOSE) | | <i>eszopiclone</i> | 102 | <i>flavoxate hcl</i> | 72 |
| | 21 | <i>ethambutol hcl</i> | 21 | <i>flecainide acetate</i> | 52 |
| EMSAM | 16 | <i>ethosuximide</i> | 13 | <i>fluconazole</i> | 19 |
| <i>emtricitabine</i> | 38 | <i>ethynodiol diac-eth estradiol</i> .. | 77 | <i>fluconazole in sodium chloride</i> | |
| <i>emtricitabine-tenofovir df</i> | 38 | <i>etodolac</i> | 1, 2 | | 19 |
| EMTRIVA..... | 38 | <i>etodolac er</i> | 1 | <i>flucytosine</i> | 19 |
| <i>enalapril maleate</i> | 51 | <i>etonogestrel-ethinyl estradiol</i> .. | 77 | <i>fludrocortisone acetate</i> | 73 |
| <i>enalapril-hydrochlorothiazide</i> | 55 | <i>etravirine</i> | 37 | <i>flunisolide</i> | 97 |
| ENBREL | 86, 87 | EUCRISA | 64 | <i>fluocinolone acetonide</i> | 64 |
| ENBREL MINI | 86 | EUTHYROX | 81 | <i>fluocinonide</i> | 64 |
| ENBREL SURECLICK | 87 | <i>everolimus</i> | 25, 87 | <i>fluocinonide emulsified base</i> .. | 64 |
| ENDARI..... | 71 | EVOTAZ..... | 38 | <i>fluorometholone</i> | 95 |
| <i>endocet</i> | 3 | EVRYSDI..... | 60 | <i>fluorouracil</i> | 66 |
| ENGERIX-B | 89 | <i>exemestane</i> | 24 | <i>fluoxetine hcl</i> | 16 |
| <i>enoxaparin sodium</i> | 48 | EXKIVITY | 25 | <i>fluphenazine decanoate</i> | 31 |
| <i>enpresse-28</i> | 77 | EXTAVIA | 61 | <i>fluphenazine hcl</i> | 31 |
| <i>enskyce</i> | 77 | <i>ezetimibe</i> | 57 | <i>flurbiprofen</i> | 2 |
| <i>entacapone</i> | 30 | <i>ezetimibe-rosuvastatin</i> | 57 | <i>flurbiprofen sodium</i> | 95 |
| <i>entecavir</i> | 36 | <i>ezetimibe-simvastatin</i> | 57 | <i>fluticasone propionate</i> | 64, 97 |
| ENTRESTO | 55 | F | | <i>fluticasone propionate diskus</i> .. | 97 |
| ENTYVIO | 84 | FABHALTA..... | 84 | <i>fluticasone propionate hfa</i> | 97 |
| <i>enulose</i> | 69 | <i>falmina</i> | 77 | <i>fluticasone-salmeterol</i> | 101 |
| ENVARUSUS XR | 87 | <i>famciclovir</i> | 36 | <i>fluvoxamine maleate</i> | 16 |
| EPIDIOLEX..... | 12 | <i>famotidine</i> | 70 | <i>fondaparinux sodium</i> | 48 |
| <i>epinephrine</i> | 98 | FANAPT | 33 | <i>formoterol fumarate</i> | 98 |
| <i>epitol</i> | 14 | FANAPT TITRATION PACK | | <i>fosamprenavir calcium</i> | 39 |
| EPIVIR HBV..... | 36 | | 33 | <i>fosinopril sodium</i> | 51 |
| <i>eplerenone</i> | 56 | FARXIGA | 41 | <i>fosinopril sodium-hctz</i> | 55 |
| EPOGEN | 49 | FASENRA..... | 100 | FOTIVDA..... | 25 |
| EPRONTIA | 12 | FASENRA PEN | 100 | FRAGMIN..... | 48 |

| | | | | | |
|--------------------------------------|-----------|--|-----|--|------------|
| FRUZAQLA..... | 25 | GOCOVRI..... | 30 | HUMULIN R..... | 45 |
| FULPHILA..... | 49 | <i>granisetron hcl</i> | 18 | HUMULIN R U-500 | |
| <i>furosemide</i> | 56 | <i>griseofulvin microsize</i> | 19 | (CONCENTRATED) | 45 |
| FUZEON | 38 | <i>guanfacine hcl</i> | 50 | HUMULIN R U-500 | |
| <i>fyavolv</i> | 77 | <i>guanfacine hcl er</i> | 59 | KWIKPEN..... | 45 |
| FYCOMPA | 12 | H | | <i>hydralazine hcl</i> | 58 |
| FYLNETRA..... | 49 | HADLIMA | 87 | <i>hydrochlorothiazide</i> | 56 |
| G | | HADLIMA PUSHTOUCH.... | 87 | <i>hydrocodone-acetaminophen</i> ... | 3 |
| <i>gabapentin</i> | 13 | HAEGARDA..... | 83 | <i>hydrocodone-ibuprofen</i> | 3 |
| GALAFOLD | 71 | <i>hailey 24 fe</i> | 77 | <i>hydrocortisone</i> | 65, 73, 92 |
| <i>galantamine hydrobromide</i> | 15 | <i>hailey fe 1.5/30</i> | 77 | <i>hydrocortisone (perianal)</i> | 65 |
| <i>galantamine hydrobromide er</i> | 15 | <i>hailey fe 1/20</i> | 77 | <i>hydrocortisone butyr lipo base</i> | |
| GAMMAGARD..... | 83 | <i>halobetasol propionate</i> | 64 | | 65 |
| GAMMAGARD S/D LESS IGA | | <i>haloperidol</i> | 32 | <i>hydrocortisone butyrate</i> | 65 |
| | 83 | <i>haloperidol decanoate</i> | 32 | <i>hydrocortisone valerate</i> | 65 |
| GAMMAKED..... | 83 | <i>haloperidol lactate</i> | 32 | <i>hydrocortisone-acetic acid</i> | 96 |
| GAMMAPLEX | 83 | HAVRIX | 89 | <i>hydromorphone hcl</i> | 3 |
| GAMUNEX-C | 83 | <i>heparin sodium (porcine)</i> | 48 | <i>hydromorphone hcl pf</i> | 3 |
| GARDASIL 9..... | 89 | <i>heparin sodium (porcine) pf</i> ... | 48 | <i>hydroxychloroquine sulfate</i> | 30 |
| GATTEX..... | 70 | HEPLISAV-B..... | 89 | <i>hydroxyurea</i> | 23 |
| <i>gauze</i> | 44 | HETLIOZ LQ..... | 102 | <i>hydroxyzine hcl</i> | 96 |
| <i>gavilyte-c</i> | 69 | HIBERIX..... | 89 | <i>hydroxyzine pamoate</i> | 40 |
| <i>gavilyte-g</i> | 69 | HUMALOG..... | 44 | HYFTOR | 65 |
| GAVRETO..... | 25 | HUMALOG JUNIOR | | I | |
| <i>gefitinib</i> | 25 | KWIKPEN..... | 44 | <i>ibandronate sodium</i> | 93 |
| <i>gemfibrozil</i> | 56 | HUMALOG KWIKPEN | 44 | IBRANCE..... | 25 |
| <i>generlac</i> | 69 | HUMALOG MIX 50/50 | | <i>ibu</i> | 2 |
| <i>gengraf</i> | 87 | KWIKPEN..... | 44 | <i>ibuprofen</i> | 2 |
| GENOTROPIN | 74 | HUMALOG MIX 75/25..... | 44 | <i>icatibant acetate</i> | 83 |
| GENOTROPIN MINIQUICK | 74 | HUMALOG MIX 75/25 | | ICLUSIG | 26 |
| <i>gentamicin in saline</i> | 5 | KWIKPEN..... | 44 | <i>icosapent ethyl</i> | 57 |
| <i>gentamicin sulfate</i> | 5, 67, 94 | HUMATROPE | 74 | IDHIFA..... | 23 |
| GENVOYA | 38 | HUMIRA (2 PEN)..... | 87 | ILARIS | 84 |
| GILOTRIF..... | 25 | HUMIRA (2 SYRINGE)..... | 87 | ILUMYA | 84 |
| GLASSIA | 71 | HUMIRA-CD/UC/HS | | <i>imatinib mesylate</i> | 26 |
| <i>glatiramer acetate</i> | 61 | STARTER | 87 | IMBRUVICA | 26 |
| <i>glatopa</i> | 61 | HUMIRA-PED<40KG | | <i>imipenem-cilastatin</i> | 9 |
| GLEOSTINE..... | 22 | CROHNS STARTER..... | 87 | <i>imipramine hcl</i> | 17 |
| <i>glimepiride</i> | 41 | HUMIRA-PED>/=40KG | | <i>imipramine pamoate</i> | 17 |
| <i>glipizide</i> | 41 | CROHNS START | 87 | <i>imiquimod</i> | 66 |
| <i>glipizide er</i> | 41 | HUMIRA-PED>/=40KG UC | | IMOVAX RABIES | 90 |
| <i>glipizide xl</i> | 42 | STARTER | 87 | <i>incassia</i> | 80 |
| <i>glipizide-metformin hcl</i> | 42 | HUMIRA-PS/UV/ADOL HS | | INCRELEX | 74 |
| GLUCAGEN HYPOKIT | 44 | STARTER | 87 | INCRUSE ELLIPTA..... | 97 |
| <i>glucagon emergency</i> | 44 | HUMIRA-PSORIASIS/UVEIT | | <i>indapamide</i> | 56 |
| <i>glyburide</i> | 42 | STARTER | 88 | <i>indomethacin</i> | 2 |
| <i>glyburide micronized</i> | 42 | HUMULIN 70/30..... | 45 | <i>indomethacin er</i> | 2 |
| <i>glyburide-metformin</i> | 42 | HUMULIN 70/30 KWIKPEN | 44 | INFANRIX..... | 90 |
| <i>glycopyrrolate</i> | 70 | HUMULIN N | 45 | INGREZZA | 60 |
| GLYXAMBI | 42 | HUMULIN N KWIKPEN..... | 45 | INLYTA | 26 |

| | | | | | |
|--|-----|--|-------|--|----|
| INQOVI..... | 23 | <i>jinteli</i> | 77 | <i>lamotrigine starter kit-orange</i> | 12 |
| INREBIC..... | 26 | <i>juleber</i> | 77 | <i>lansoprazole</i> | 71 |
| <i>insulin asp prot & asp flexpen</i> | 45 | JULUCA..... | 38 | <i>lanthanum carbonate</i> | 69 |
| <i>insulin aspart</i> | 45 | <i>junel 1.5/30</i> | 77 | LANTUS..... | 46 |
| <i>insulin aspart flexpen</i> | 45 | <i>junel 1/20</i> | 77 | LANTUS SOLOSTAR..... | 45 |
| <i>insulin aspart prot & aspart</i> .. | 45 | <i>junel fe 1.5/30</i> | 77 | <i>lapatinib ditosylate</i> | 26 |
| <i>insulin lispro</i> | 45 | <i>junel fe 1/20</i> | 77 | <i>larin 1.5/30</i> | 78 |
| <i>insulin lispro (1 unit dial)</i> | 45 | JYNNEOS..... | 90 | <i>larin 1/20</i> | 78 |
| <i>insulin lispro junior kwikpen</i> .. | 45 | K | | <i>larin fe 1.5/30</i> | 78 |
| <i>insulin lispro prot & lispro</i> | 45 | KALYDECO..... | 98 | <i>larin fe 1/20</i> | 78 |
| <i>insulin syringe</i> | 45 | <i>kariva</i> | 77 | <i>latanoprost</i> | 96 |
| INTELENCE..... | 37 | <i>kcl in dextrose-nacl</i> | 67 | <i>leena</i> | 78 |
| INTRALIPID..... | 68 | <i>kelnor 1/35</i> | 77 | <i>leflunomide</i> | 88 |
| INTRON A..... | 86 | <i>kelnor 1/50</i> | 77 | <i>lenalidomide</i> | 22 |
| <i>introvale</i> | 77 | KERENDIA..... | 55 | LENVIMA (10 MG DAILY | |
| INVEGA SUSTENNA..... | 33 | KESIMPTA..... | 61 | DOSE)..... | 26 |
| INVEGA TRINZA..... | 33 | <i>ketoconazole</i> | 19 | LENVIMA (12 MG DAILY | |
| IPOL..... | 90 | <i>ketorolac tromethamine</i> | 2, 95 | DOSE)..... | 26 |
| <i>ipratropium bromide</i> | 97 | KEVZARA..... | 84 | LENVIMA (14 MG DAILY | |
| <i>ipratropium-albuterol</i> | 101 | KINERET..... | 85 | DOSE)..... | 26 |
| <i>irbesartan</i> | 51 | KINRIX..... | 90 | LENVIMA (18 MG DAILY | |
| <i>irbesartan-hydrochlorothiazide</i> | | KISQALI (200 MG DOSE) ... | 26 | DOSE)..... | 26 |
| | 55 | KISQALI (400 MG DOSE) ... | 26 | LENVIMA (20 MG DAILY | |
| ISENTRESS..... | 37 | KISQALI (600 MG DOSE) ... | 26 | DOSE)..... | 26 |
| ISENTRESS HD..... | 37 | KISQALI FEMARA (200 MG | | LENVIMA (24 MG DAILY | |
| <i>isibloom</i> | 77 | DOSE)..... | 23 | DOSE)..... | 26 |
| ISOLYTE-P IN D5W..... | 68 | KISQALI FEMARA (400 MG | | LENVIMA (4 MG DAILY | |
| ISOLYTE-S..... | 67 | DOSE)..... | 23 | DOSE)..... | 26 |
| ISOLYTE-S PH 7.4..... | 67 | KISQALI FEMARA (600 MG | | LENVIMA (8 MG DAILY | |
| <i>isoniazid</i> | 21 | DOSE)..... | 23 | DOSE)..... | 27 |
| <i>isosorb dinitrate-hydralazine</i> .. | 58 | KLOR-CON..... | 67 | <i>lessina</i> | 78 |
| <i>isosorbide dinitrate</i> | 58 | KLOR-CON 10..... | 67 | <i>letrozole</i> | 24 |
| <i>isosorbide mononitrate</i> | 58 | <i>klor-con m10</i> | 67 | <i>leucovorin calcium</i> | 29 |
| <i>isosorbide mononitrate er</i> | 58 | <i>klor-con m15</i> | 67 | LEUKERAN..... | 22 |
| <i>isotretinoin</i> | 63 | <i>klor-con m20</i> | 67 | LEUKINE..... | 49 |
| <i>isradipine</i> | 53 | KOSELUGO..... | 26 | <i>leuprolide acetate</i> | 82 |
| <i>itraconazole</i> | 19 | KRAZATI..... | 23 | <i>leuprolide acetate (3 month)</i> .. | 82 |
| <i>ivermectin</i> | 29 | <i>kurvelo</i> | 78 | <i>levabuterol hcl</i> | 98 |
| IWILFIN..... | 23 | L | | LEVEMIR..... | 46 |
| IXIARO..... | 90 | <i>labetalol hcl</i> | 52 | LEVEMIR FLEXPEN..... | 46 |
| J | | <i>lacosamide</i> | 14 | LEVEMIR FLEXTOUCH..... | 46 |
| JAKAFI..... | 26 | <i>lactulose</i> | 69 | <i>levetiracetam</i> | 12 |
| <i>jantoven</i> | 48 | <i>lactulose encephalopathy</i> | 69 | <i>levetiracetam er</i> | 12 |
| JANUMET..... | 42 | <i>lagevrio</i> | 40 | <i>levobunolol hcl</i> | 95 |
| JANUMET XR..... | 42 | <i>lamivudine</i> | 36 | <i>levocarnitine</i> | 68 |
| JANUVIA..... | 42 | <i>lamivudine-zidovudine</i> | 38 | <i>levocarnitine sf</i> | 69 |
| JARDIANCE..... | 42 | <i>lamotrigine</i> | 12 | <i>levocetirizine dihydrochloride</i> | 97 |
| JAYPIRCA..... | 26 | <i>lamotrigine er</i> | 12 | <i>levofloxacin</i> | 10 |
| JENTADUETO..... | 42 | <i>lamotrigine starter kit-blue</i> | 12 | <i>levofloxacin in d5w</i> | 10 |
| JENTADUETO XR..... | 42 | <i>lamotrigine starter kit-green</i> .. | 12 | <i>levonest</i> | 78 |

| | | |
|--|---|---|
| <i>levonorgest-eth estrad 91-day</i> 78 | <i>lurasidone hcl</i> 33 | <i>metaxalone</i> 102 |
| <i>levonorgestrel-ethinyl estrad.</i> 78 | <i>lutera</i> 78 | <i>metformin hcl</i> 42, 43 |
| <i>levonorg-eth estrad triphasic</i> . 78 | LYBALVI 34 | <i>metformin hcl er</i> 42 |
| <i>levora 0.15/30 (28)</i> 78 | LYNPARZA 27 | <i>methadone hcl</i> 2 |
| LEVO-T 81 | LYSODREN 23 | <i>methazolamide</i> 95 |
| <i>levothyroxine sodium</i> 81 | LYTGOBI (12 MG DAILY DOSE) 27 | <i>methenamine hippurate</i> 6 |
| LEVOXYL 81 | LYTGOBI (16 MG DAILY DOSE) 27 | <i>methimazole</i> 83 |
| LEXIVA 39 | LYTGOBI (20 MG DAILY DOSE) 27 | <i>methocarbamol</i> 102 |
| <i>lidocaine</i> 3 | <i>lyza</i> 80 | <i>methotrexate sodium</i> 88 |
| <i>lidocaine hcl</i> 3 | M | <i>methotrexate sodium (pf)</i> 88 |
| <i>lidocaine hcl urethral/mucosal</i> . 4 | <i>magnesium sulfate</i> 67 | <i>methoxsalen rapid</i> 66 |
| <i>lidocaine viscous hcl</i> 4 | <i>malathion</i> 66 | <i>methsuximide</i> 13 |
| <i>lidocaine-prilocaine</i> 4 | <i>maraviroc</i> 38 | <i>methylphenidate hcl</i> 60 |
| <i>linezolid</i> 6 | <i>marlissa</i> 78 | <i>methylphenidate hcl er</i> 59, 60 |
| <i>linezolid in sodium chloride</i> 6 | MARPLAN 16 | <i>methylphenidate hcl er (cd)</i> 59 |
| LINZESS 69 | MATULANE 22 | <i>methylphenidate hcl er (la)</i> 59 |
| <i>liothyronine sodium</i> 81 | MAVENCLAD (10 TABS) 61 | <i>methylphenidate hcl er (osm)</i> . 59 |
| <i>lisinopril</i> 51 | MAVENCLAD (4 TABS) 61 | <i>methylphenidate hcl er (xr)</i> 59 |
| <i>lisinopril-hydrochlorothiazide</i> 55 | MAVENCLAD (5 TABS) 61 | <i>methylprednisolone</i> 74 |
| LITFULO 85 | MAVENCLAD (6 TABS) 61 | <i>methylprednisolone acetate</i> 92 |
| <i>lithium</i> 41 | MAVENCLAD (7 TABS) 61 | <i>methyltestosterone</i> 75 |
| <i>lithium carbonate</i> 41 | MAVENCLAD (8 TABS) 61 | <i>metoclopramide hcl</i> 18 |
| <i>lithium carbonate er</i> 41 | MAVENCLAD (9 TABS) 61 | <i>metolazone</i> 56 |
| LIVMARLI 70 | MAVENCLAD (10 TABS) 61 | <i>metoprolol succinate er</i> 52 |
| LODOCO 55 | MAVENCLAD (11 TABS) 61 | <i>metoprolol tartrate</i> 52 |
| LOKELMA 69 | MAVENCLAD (12 TABS) 61 | <i>metoprolol-hydrochlorothiazide</i> 55 |
| LONSURF 23 | MAYVRET 36 | <i>metronidazole</i> 6, 67 |
| <i>loperamide hcl</i> 70 | MAYZENT 61 | <i>metryrosine</i> 55 |
| <i>lopinavir-ritonavir</i> 39 | MAYZENT STARTER PACK 61 | <i>mexiletine hcl</i> 52 |
| <i>lorazepam</i> 41 | <i>meclizine hcl</i> 18 | <i>micafungin sodium</i> 19 |
| <i>lorazepam intensol</i> 41 | <i>meclofenamate sodium</i> 2 | <i>microgestin 1.5/30</i> 78 |
| LORBRENA 27 | <i>medroxyprogesterone acetate</i> . 80 | <i>microgestin 1/20</i> 78 |
| <i>losartan potassium</i> 51 | <i>mefloquine hcl</i> 30 | <i>microgestin 24 fe</i> 78 |
| <i>losartan potassium-hctz</i> 55 | <i>megestrol acetate</i> 80 | <i>microgestin fe 1.5/30</i> 78 |
| <i>lovastatin</i> 56 | MEKINIST 27 | <i>microgestin fe 1/20</i> 78 |
| <i>low-ogestrel</i> 78 | MEKTOVI 27 | <i>midodrine hcl</i> 50 |
| <i>loxapine succinate</i> 32 | <i>meloxicam</i> 2 | <i>mifepristone</i> 44 |
| <i>lubiprostone</i> 69 | <i>memantine hcl</i> 15 | <i>miglustat</i> 71 |
| LUCEMYRA 4 | <i>memantine hcl er</i> 15 | <i>mili</i> 78 |
| LUMAKRAS 23 | MENACTRA 90 | <i>mimvey</i> 78 |
| LUMIGAN 96 | MENEST 76 | <i>minocycline hcl</i> 11 |
| LUPKYNIS 88 | MENQUADFI 90 | <i>minoxidil</i> 58 |
| LUPRON DEPOT (1-MONTH) 82 | MENVEO 90 | <i>mirtazapine</i> 16 |
| LUPRON DEPOT (3-MONTH) 82 | <i>mercaptopurine</i> 23 | <i>misoprostol</i> 71 |
| LUPRON DEPOT (4-MONTH) 82 | <i>meropenem</i> 9 | M-M-R II 90 |
| LUPRON DEPOT (6-MONTH) 82 | <i>meropenem-sodium chloride</i> .. 10 | <i>m-natal plus</i> 69 |
| | <i>mesalamine</i> 92 | <i>modafinil</i> 102 |
| | <i>mesalamine-cleanser</i> 92 | <i>moexipril hcl</i> 51 |
| | MESNEX 29 | <i>molindone hcl</i> 32 |

| | | | | | |
|---|--------|---|----|---|------------|
| <i>mometasone furoate</i> | 65, 97 | NICOTROL..... | 5 | NOVOLOG 70/30 FLEXPEN | |
| <i>montelukast sodium</i> | 101 | NICOTROL NS..... | 5 | RELION | 46 |
| <i>morphine sulfate</i> | 3 | <i>nifedipine</i> | 53 | NOVOLOG FLEXPEN..... | 47 |
| <i>morphine sulfate (concentrate)</i> | 3 | <i>nifedipine er</i> | 53 | NOVOLOG FLEXPEN | |
| <i>morphine sulfate er</i> | 2 | <i>nifedipine er osmotic release</i> .. | 53 | RELION | 47 |
| MOUNJARO..... | 43 | <i>nilutamide</i> | 22 | NOVOLOG MIX 70/30 | 47 |
| MOVANTIK | 69 | <i>nimodipine</i> | 53 | NOVOLOG MIX 70/30 | |
| <i>moxifloxacin hcl</i> | 11 | NINLARO | 23 | FLEXPEN..... | 47 |
| <i>moxifloxacin hcl in nacl</i> | 11 | <i>nitazoxanide</i> | 30 | NOVOLOG MIX 70/30 | |
| MULTAQ..... | 52 | <i>nitisinone</i> | 71 | RELION | 47 |
| <i>mupirocin</i> | 67 | NITRO-BID..... | 58 | NOVOLOG RELION..... | 47 |
| <i>mycophenolate mofetil</i> | 88 | NITRO-DUR | 58 | NUBEQA | 22 |
| <i>mycophenolate sodium</i> | 88 | <i>nitrofurantoin macrocrystal</i> | 6 | NUCALA | 101 |
| <i>mycophenolic acid</i> | 88 | <i>nitrofurantoin monohyd macro</i> | 6 | NUEDEXTA | 60 |
| MYFEMBREE | 82 | <i>nitroglycerin</i> | 58 | NULOJIX | 88 |
| <i>myorisan</i> | 63 | <i>nora-be</i> | 80 | NUPLAZID | 34 |
| MYRBETRIQ | 72 | NORDITROPIN FLEXPRO .. | 74 | NURTEC | 20 |
| N | | <i>norelgestromin-eth estradiol</i> .. | 78 | NUTRILIPID..... | 69 |
| <i>nabumetone</i> | 2 | <i>norethin ace-eth estrad-fe</i> | 78 | NUTROPIN AQ NUSPIN 10.74 | |
| <i>nadolol</i> | 52 | <i>norethindrone</i> | 80 | NUTROPIN AQ NUSPIN 20.74 | |
| <i>nafcilin sodium</i> | 9 | <i>norethindrone acetate</i> | 80 | NUTROPIN AQ NUSPIN 5...75 | |
| <i>nafcilin sodium in dextrose</i> | 9 | <i>norethindrone acet-ethinyl est</i> | 78 | <i>nylia 1/35</i> | 79 |
| <i>nalbuphine hcl</i> | 1 | <i>norethindrone-eth estradiol</i> | 78 | <i>nylia 7/7/7</i> | 79 |
| <i>naloxone hcl</i> | 4 | <i>norethindron-ethinyl estrad-fe</i> | 78 | <i>nystatin</i> | 19, 20 |
| <i>naltrexone hcl</i> | 4 | <i>norgestimate-eth estradiol</i> | 79 | <i>nystatin-triamcinolone</i> | 66 |
| <i>naproxen</i> | 2 | <i>norgestim-eth estrad triphasic</i> | 79 | NYVEPRIA | 49 |
| <i>naproxen sodium</i> | 2 | <i>norlyroc</i> | 80 | O | |
| NATACYN | 94 | NORPACE CR..... | 52 | OCALIVA | 70 |
| <i>nateglinide</i> | 43 | <i>nortrel 0.5/35 (28)</i> | 79 | <i>ocella</i> | 79 |
| NATPARA..... | 93 | <i>nortrel 1/35 (21)</i> | 79 | OCREVUS | 61 |
| NAYZILAM..... | 13 | <i>nortrel 1/35 (28)</i> | 79 | <i>octreotide acetate</i> | 82 |
| <i>nebivolol hcl</i> | 52 | <i>nortrel 7/7/7</i> | 79 | ODEFSEY | 38 |
| <i>necon 0.5/35 (28)</i> | 78 | <i>nortriptyline hcl</i> | 17 | ODOMZO..... | 27 |
| <i>nefazodone hcl</i> | 17 | NORVIR..... | 39 | OFEV..... | 100 |
| <i>neomycin sulfate</i> | 5 | NOVOLIN 70/30..... | 46 | <i>ofloxacin</i> | 11, 95, 96 |
| <i>neomycin-polymyxin-dexameth</i> | | NOVOLIN 70/30 FLEXPEN . | 46 | OGSIVEO..... | 27 |
| | 94 | NOVOLIN 70/30 FLEXPEN | | OJJAARA..... | 23 |
| <i>neomycin-polymyxin-gramicidin</i> | | RELION | 46 | <i>olanzapine</i> | 34 |
| | 94 | NOVOLIN 70/30 RELION ... | 46 | <i>olmesartan medoxomil</i> | 51 |
| <i>neomycin-polymyxin-hc</i> | 96 | NOVOLIN N..... | 46 | <i>olmesartan medoxomil-hctz</i> | 55 |
| NERLYNX..... | 27 | NOVOLIN N FLEXPEN | 46 | <i>olmesartan-amlodipine-hctz</i> ...55 | |
| NEULASTA..... | 49 | NOVOLIN N FLEXPEN | | OLUMIANT | 85 |
| NEULASTA ONPRO | 49 | RELION | 46 | <i>omega-3-acid ethyl esters</i> | 57 |
| NEUPRO..... | 31 | NOVOLIN N RELION | 46 | <i>omeprazole</i> | 71 |
| <i>nevirapine</i> | 37 | NOVOLIN R | 46 | OMNIPOD 5 G6 INTRO (GEN | |
| <i>nevirapine er</i> | 37 | NOVOLIN R FLEXPEN..... | 46 | 5)..... | 47 |
| NEXLETOL..... | 55 | NOVOLIN R FLEXPEN | | OMNIPOD 5 G6 PODS (GEN | |
| NEXLIZET..... | 55 | RELION | 46 | 5)..... | 47 |
| NGENLA | 74 | NOVOLIN R RELION | 46 | OMNIPOD 5 G7 INTRO (GEN | |
| <i>niacin er (antihyperlipidemic)</i> | 57 | NOVOLIN R RELION | 46 | 5)..... | 47 |
| | | NOVOLOG | 47 | | |

| | | | | | |
|--------------------------------------|-----|---|--------|---|------------|
| OMNIPOD 5 G7 PODS (GEN 5)..... | 47 | PEDVAX HIB | 90 | POMALYST..... | 22 |
| OMNIPOD DASH INTRO (GEN 4)..... | 47 | <i>peg 3350-kcl-na bicarb-nacl</i> .. | 70 | PONVORY..... | 61 |
| OMNIPOD DASH PDM (GEN 4)..... | 47 | <i>peg-3350/electrolytes</i> | 70 | PONVORY STARTER PACK | 62 |
| OMNIPOD DASH PODS (GEN 4)..... | 47 | PEGASYS | 86 | <i>portia-28</i> | 79 |
| OMNIPOD GO | 47 | PEMAZYRE | 27 | <i>posaconazole</i> | 20 |
| OMNITROPE..... | 75 | <i>pen needles</i> | 47 | <i>potassium chloride</i> | 68 |
| <i>ondansetron</i> | 19 | PENBRAYA | 90 | <i>potassium chloride crys er</i> | 67 |
| <i>ondansetron hcl</i> | 18 | <i>penciclovir</i> | 67 | <i>potassium chloride er</i> | 67 |
| ONGENTYS | 30 | <i>penicillamine</i> | 68 | <i>potassium citrate er</i> | 68 |
| ONUREG | 23 | <i>penicillin g procaine</i> | 9 | PRALUENT | 57 |
| ORENCIA | 85 | <i>penicillin g sodium</i> | 9 | <i>pramipexole dihydrochloride</i> . | 31 |
| ORENCIA CLICKJECT | 85 | <i>penicillin v potassium</i> | 9 | <i>pramipexole dihydrochloride er</i> | 31 |
| ORFADIN | 72 | PENTACEL..... | 90 | <i>prasugrel hcl</i> | 50 |
| ORGOVYX..... | 82 | <i>pentamidine isethionate</i> | 30 | <i>pravastatin sodium</i> | 57 |
| ORIAHNN | 82 | <i>pentazocine-naloxone hcl</i> | 3 | <i>praziquantel</i> | 29 |
| ORLISSA | 82 | <i>pentoxifylline er</i> | 55 | <i>prazosin hcl</i> | 51 |
| ORKAMBI..... | 98 | <i>perindopril erbumine</i> | 51 | <i>prednicarbate</i> | 65 |
| ORLADEYO..... | 83 | <i>permethrin</i> | 66 | <i>prednisolone</i> | 74 |
| <i>orphenadrine citrate er</i> | 102 | <i>perphenazine</i> | 18 | <i>prednisolone acetate</i> | 95 |
| ORSERDU | 23 | <i>perphenazine-amitriptyline</i> | 16 | <i>prednisolone sodium phosphate</i> | 74, 92, 95 |
| <i>oseltamivir phosphate</i> | 40 | PERSERIS..... | 34 | <i>prednisone</i> | 92 |
| OTEZLA | 66 | <i>phenelzine sulfate</i> | 16 | <i>prednisone intensol</i> | 92 |
| <i>oxandrolone</i> | 75 | <i>phenobarbital</i> | 13 | <i>pregabalin</i> | 13 |
| OXBRYTA..... | 49 | <i>phenoxybenzamine hcl</i> | 51 | PREHEVBRIO..... | 90 |
| <i>oxcarbazepine</i> | 14 | <i>phenytoin</i> | 14 | PREMARIN | 76 |
| OXERVATE | 94 | <i>phenytoin infatabs</i> | 14 | PREMPHASE..... | 79 |
| <i>oxybutynin chloride</i> | 72 | <i>phenytoin sodium extended</i> | 15 | PREMPRO | 79 |
| <i>oxybutynin chloride er</i> | 72 | PIFELTRO | 37 | <i>prenatal</i> | 69 |
| <i>oxycodone hcl</i> | 3 | <i>pilocarpine hcl</i> | 62, 95 | PRETOMANID..... | 21 |
| <i>oxycodone hcl er</i> | 3 | <i>pimecrolimus</i> | 65 | <i>prevalite</i> | 57 |
| <i>oxycodone-acetaminophen</i> | 3 | <i>pimozide</i> | 32 | PREVYMIS..... | 36 |
| OZEMPIC (0.25 OR 0.5 MG/DOSE)..... | 43 | <i>pimtrea</i> | 79 | PREZCOBIX..... | 38 |
| OZEMPIC (1 MG/DOSE)..... | 43 | <i>pindolol</i> | 53 | PREZISTA | 39 |
| OZEMPIC (2 MG/DOSE)..... | 43 | <i>pioglitazone hcl</i> | 43 | PRIFTIN..... | 22 |
| P | | <i>pioglitazone hcl-metformin hcl</i> | 43 | <i>primaquine phosphate</i> | 30 |
| <i>paliperidone er</i> | 34 | <i>piperacillin sod-tazobactam so</i> 9 | | <i>primidone</i> | 13 |
| PANRETIN | 29 | PIQRAY (200 MG DAILY DOSE) | 27 | PRIORIX | 90 |
| <i>pantoprazole sodium</i> | 71 | PIQRAY (250 MG DAILY DOSE) | 27 | PRIVIGEN | 83 |
| <i>paricalcitol</i> | 93 | PIQRAY (300 MG DAILY DOSE) | 27 | <i>probenecid</i> | 20 |
| <i>paroxetine hcl</i> | 17 | <i>pirfenidone</i> | 100 | <i>prochlorperazine</i> | 18 |
| <i>paroxetine hcl er</i> | 17 | <i>pirmella 1/35</i> | 79 | <i>prochlorperazine maleate</i> | 18 |
| <i>paxlovid (150/100)</i> | 40 | <i>piroxicam</i> | 2 | PROCRIT | 49 |
| <i>paxlovid (300/100)</i> | 40 | <i>plenamine</i> | 69 | <i>progesterone</i> | 80 |
| <i>pazopanib hcl</i> | 27 | <i>podofilox</i> | 66 | PROGRAF..... | 88 |
| PEDIARIX | 90 | <i>polymyxin b sulfate</i> | 6 | PROLASTIN-C | 72 |
| | | <i>polymyxin b-trimethoprim</i> | 95 | PROLIA..... | 93 |
| | | | | PROMACTA..... | 49 |

| | | | | | |
|--|--------|--|----|-------------------------------------|--------|
| <i>promethazine hcl</i> | 18, 97 | RELISTOR | 70 | SAVELLA TITRATION PACK | |
| <i>promethazine vc</i> | 101 | RELYVRIO | 60 | | 60 |
| <i>promethazine-phenylephrine</i> | 101 | <i>repaglinide</i> | 43 | SCSEMBLIX | 27 |
| <i>promethegan</i> | 18 | REPATHA | 57 | <i>scopolamine</i> | 18 |
| <i>propafenone hcl</i> | 52 | REPATHA PUSHTRONEX | | SECUADO | 35 |
| <i>proparacaine hcl</i> | 94 | SYSTEM | 57 | <i>selegiline hcl</i> | 31 |
| <i>propranolol hcl</i> | 53 | REPATHA SURECLICK | 57 | <i>selenium sulfide</i> | 65 |
| <i>propranolol hcl er</i> | 53 | RETACRIT | 50 | SELZENTRY | 39 |
| <i>propylthiouracil</i> | 83 | RETEVMO | 27 | SEREVENT DISKUS | 98 |
| PROQUAD | 90 | REVLIMID | 22 | SEROSTIM | 75 |
| <i>protriptyline hcl</i> | 18 | REXULTI | 34 | <i>sertraline hcl</i> | 17 |
| PULMOZYME | 98 | REYATAZ | 39 | <i>setlakin</i> | 79 |
| PURIXAN | 23 | REZLIDHIA | 24 | <i>sevelamer carbonate</i> | 69 |
| <i>pyrazinamide</i> | 22 | REZUROCK | 88 | <i>sharobel</i> | 80 |
| <i>pyridostigmine bromide</i> | 21 | RHOPRESSA | 96 | SHINGRIX | 91 |
| <i>pyridostigmine bromide er</i> | 21 | <i>ribavirin</i> | 36 | SIGNIFOR | 82 |
| <i>pyrimethamine</i> | 30 | <i>rifabutin</i> | 21 | <i>sildenafil citrate</i> | 99 |
| PYRUKYND | 49 | <i>rifampin</i> | 22 | SILIQ | 85 |
| PYRUKYND TAPER PACK | 49 | <i>riluzole</i> | 60 | <i>silver sulfadiazine</i> | 66 |
| Q | | <i>rimantadine hcl</i> | 40 | SIMBRINZA | 96 |
| QINLOCK | 27 | RINVOQ | 85 | SIMPONI | 88 |
| QUADRACEL | 90 | <i>risedronate sodium</i> | 93 | <i>simvastatin</i> | 57 |
| <i>quetiapine fumarate</i> | 34 | <i>risperidone</i> | 34 | <i>sirolimus</i> | 88 |
| <i>quetiapine fumarate er</i> | 34 | <i>risperidone microspheres er</i> | 34 | SIRTURO | 22 |
| <i>quinapril hcl</i> | 51 | <i>ritonavir</i> | 39 | SKYRIZI | 85 |
| <i>quinapril-hydrochlorothiazide</i> | 55 | <i>rivastigmine</i> | 15 | SKYRIZI PEN | 85 |
| <i>quinidine gluconate er</i> | 52 | <i>rivastigmine tartrate</i> | 15 | SKYTROFA | 75 |
| <i>quinidine sulfate</i> | 52 | <i>rizatriptan benzoate</i> | 21 | <i>sodium chloride</i> | 66, 68 |
| <i>quinine sulfate</i> | 30 | ROCKLATAN | 96 | <i>sodium chloride (pf)</i> | 68 |
| R | | <i>roflumilast</i> | 99 | <i>sodium fluoride</i> | 68 |
| RABAVERT | 90 | <i>ropinirole hcl</i> | 31 | <i>sodium oxybate</i> | 102 |
| RADICAVA ORS | 60 | <i>ropinirole hcl er</i> | 31 | <i>sodium phenylbutyrate</i> | 72 |
| RADICAVA ORS STARTER | | <i>rosuvastatin calcium</i> | 57 | <i>sodium polystyrene sulfonate</i> | 69 |
| KIT | 60 | ROTARIX | 91 | SOFOSBUVIR- | |
| <i>raloxifene hcl</i> | 80 | ROTATEQ | 91 | VELPATASVIR | 36 |
| <i>ramelteon</i> | 102 | <i>roweepira</i> | 12 | <i>solifenacin succinate</i> | 73 |
| <i>ramipril</i> | 51 | ROZLYTREK | 27 | SOLQUA | 47 |
| <i>ranolazine er</i> | 55 | RUBRACA | 27 | SOLTAMOX | 23 |
| <i>rasagiline mesylate</i> | 31 | <i>rufinamide</i> | 15 | SOMAVERT | 82 |
| RAVICTI | 72 | RUKOBIA | 38 | <i>sorafenib tosylate</i> | 27 |
| REBIF | 62 | RYBELSUS | 43 | <i>sotalol hcl</i> | 52 |
| REBIF REBIDOSE | 62 | RYDAPT | 27 | <i>sotalol hcl (af)</i> | 52 |
| REBIF REBIDOSE | | RYKINDO | 34 | SOTYKTU | 85 |
| TITRATION PACK | 62 | RYLAZE | 24 | SPIRIVA RESPIMAT | 97 |
| REBIF TITRATION PACK .. | 62 | S | | <i>spironolactone</i> | 56 |
| <i>reclipsen</i> | 79 | SANDIMMUNE | 88 | <i>spironolactone-hctz</i> | 55 |
| RECOMBIVAX HB | 91 | SANTYL | 66 | <i>sprintec 28</i> | 79 |
| RECORLEV | 82 | <i>sapropterin dihydrochloride</i> .. | 72 | SPRITAM | 12 |
| REGRANEX | 66 | SAVELLA | 60 | SPRYCEL | 28 |
| RELENZA DISKHALER | 40 | | | <i>sps</i> | 69 |

| | | | | | |
|---|--------|---|--------|---|--------|
| <i>sronyx</i> | 79 | TAZORAC | 63 | <i>topiramate</i> | 12 |
| STELARA | 85 | TAZVERIK | 28 | <i>toremifene citrate</i> | 23 |
| STIOLTO RESPIMAT | 101 | TDVAX | 91 | <i>torseamide</i> | 56 |
| STIVARGA..... | 28 | <i>techlite plus pen needles</i> | 47 | TRADJENTA | 43 |
| <i>streptomycin sulfate</i> | 5 | TEFLARO | 8 | <i>tramadol hcl</i> | 3 |
| STRIBILD | 39 | <i>telmisartan</i> | 51 | <i>tramadol-acetaminophen</i> | 3 |
| STRIVERDI RESPIMAT | 98 | <i>telmisartan-hctz</i> | 55 | <i>trandolapril</i> | 51 |
| SUCRAID | 72 | <i>temazepam</i> | 102 | <i>tranexamic acid</i> | 50 |
| <i>sucralfate</i> | 71 | TENIVAC | 91 | <i>translycypromine sulfate</i> | 16 |
| <i>sulfacetamide sodium</i> | 95 | <i>tenofovir disoproxil fumarate</i> | 36 | <i>travoprost (bak free)</i> | 96 |
| <i>sulfacetamide sodium (acne)</i> | 11 | TEPMETKO..... | 28 | <i>trazodone hcl</i> | 17 |
| <i>sulfacetamide-prednisolone</i> | 94 | <i>terazosin hcl</i> | 51 | TRECTOR | 22 |
| <i>sulfadiazine</i> | 11 | <i>terbinafine hcl</i> | 20 | TRELEGY ELLIPTA..... | 101 |
| <i>sulfamethoxazole-trimethoprim</i> | 11 | <i>terbutaline sulfate</i> | 98 | TRELSTAR MIXJECT | 82 |
| <i>sulfasalazine</i> | 92 | <i>terconazole</i> | 20 | TREMFYA | 85, 86 |
| <i>sulindac</i> | 2 | <i>teriflunomide</i> | 62 | <i>tretinoin</i> | 29, 63 |
| <i>sumatriptan</i> | 21 | TERIPARATIDE | 93 | <i>tri femynor</i> | 79 |
| <i>sumatriptan succinate</i> | 21 | TERIPARATIDE (RECOMBINANT)..... | 93 | <i>triamcinolone acetonide</i> | 62, 65 |
| <i>sumatriptan succinate refill</i> | 21 | <i>testosterone</i> | 75 | <i>triamcinolone in absorbase</i> | 65 |
| <i>sunitinib malate</i> | 28 | <i>testosterone cypionate</i> | 75 | <i>triamterene-hctz</i> | 55 |
| SUNLENCA..... | 39 | <i>testosterone enanthate</i> | 75 | <i>trientine hcl</i> | 68 |
| SYMDEKO | 98 | TETANUS-DIPHThERIA TOXOIDS TD | 91 | <i>tri-estarylla</i> | 79 |
| SYMLINPEN 120 | 43 | <i>tetrabenazine</i> | 60 | <i>trifluoperazine hcl</i> | 32 |
| SYMLINPEN 60 | 43 | <i>tetracycline hcl</i> | 11 | <i>trifluridine</i> | 37 |
| SYMPAZAN..... | 14 | THALOMID..... | 22 | <i>trihexyphenidyl hcl</i> | 30 |
| SYMTUZA..... | 39 | <i>theophylline</i> | 99 | <i>tri-legest fe</i> | 79 |
| SYNAREL | 82 | <i>theophylline er</i> | 99 | <i>trimethobenzamide hcl</i> | 18 |
| SYNJARDY | 43 | THIOLA EC | 73 | <i>trimethoprim</i> | 6 |
| SYNJARDY XR | 43 | <i>thioridazine hcl</i> | 32 | <i>tri-mili</i> | 79 |
| SYNTHROID..... | 81 | <i>thiothixene</i> | 32 | <i>trimipramine maleate</i> | 18 |
| T | | <i>tiagabine hcl</i> | 14 | <i>trinatal rx 1</i> | 69 |
| TABLOID | 23 | TIBSOVO..... | 24 | TRINTELLIX..... | 17 |
| TABRECTA..... | 28 | TICE BCG..... | 24 | <i>tri-sprintec</i> | 79 |
| <i>tacrolimus</i> | 65, 88 | TICOVAC | 91 | TRIUMEQ..... | 39 |
| <i>tadalafil (pah)</i> | 99 | <i>timolol maleate</i> | 53, 95 | TRIUMEQ PD..... | 39 |
| TADLIQ..... | 99 | <i>tinidazole</i> | 6 | <i>trivora (28)</i> | 79 |
| TAFINLAR | 28 | <i>tiopronin</i> | 73 | <i>tri-vylibra</i> | 79 |
| TAGRISSE | 28 | <i>tiotropium bromide</i> <i>monohydrate</i> | 97 | TRIZIVIR | 38 |
| TALTZ | 85 | TIVICAY..... | 37 | <i>tropium chloride</i> | 73 |
| TALZENNA..... | 28 | TIVICAY PD | 37 | <i>tropium chloride er</i> | 73 |
| <i>tamoxifen citrate</i> | 23 | <i>tizanidine hcl</i> | 35 | TRULICITY | 43 |
| <i>tamsulosin hcl</i> | 73 | <i>tobramycin</i> | 95, 98 | TRUMENBA..... | 91 |
| <i>tarina fe 1/20 eq</i> | 79 | <i>tobramycin sulfate</i> | 5 | TRUQAP | 28 |
| TARPEYO | 82 | <i>tobramycin-dexamethasone</i> | 94 | TRUSELTIQ (100MG DAILY DOSE) | 28 |
| TASCENSO ODT | 62 | <i>tolterodine tartrate</i> | 73 | TRUSELTIQ (125MG DAILY DOSE) | 28 |
| TASIGNA | 28 | <i>tolterodine tartrate er</i> | 73 | TRUSELTIQ (50MG DAILY DOSE) | 28 |
| <i>tasimelteon</i> | 102 | <i>tolvaptan</i> | 68 | | |
| TAVNEOS | 50 | | | | |
| <i>tazarotene</i> | 63 | | | | |

| | | | | | |
|---|-----|----------------------------------|--------|-----------------------------------|-----|
| TRUSELTIQ (75MG DAILY DOSE) | 28 | VENTOLIN HFA..... | 98 | XPOVIO (100 MG ONCE WEEKLY)..... | 24 |
| TUKYSA..... | 28 | <i>verapamil hcl</i> | 54 | XPOVIO (40 MG ONCE WEEKLY)..... | 24 |
| TURALIO | 28 | <i>verapamil hcl er</i> | 54 | XPOVIO (40 MG TWICE WEEKLY)..... | 24 |
| TWINRIX..... | 91 | VERQUVO | 56 | XPOVIO (60 MG ONCE WEEKLY)..... | 24 |
| TYBOST | 39 | VERSACLOZ | 35 | XPOVIO (60 MG TWICE WEEKLY)..... | 24 |
| TYMLOS | 93 | VERZENIO..... | 28 | XPOVIO (80 MG ONCE WEEKLY)..... | 24 |
| TYPHIM VI..... | 91 | V-GO 20..... | 47 | XPOVIO (80 MG TWICE WEEKLY)..... | 24 |
| TYVASO DPI MAINTENANCE KIT..... | 99 | V-GO 30..... | 47 | XTANDI..... | 22 |
| TYVASO DPI TITRATION KIT | 99 | V-GO 40..... | 47 | <i>xulane</i> | 80 |
| U | | VICTOZA | 44 | XURIDEN | 72 |
| UBRELVY..... | 20 | <i>vienna</i> | 79 | XYREM..... | 102 |
| UDENYCA | 50 | <i>vigabatrin</i> | 14 | XYWAV | 102 |
| UDENYCA ONBODY | 50 | VIJOICE..... | 28 | Y | |
| UNITHROID..... | 81 | <i>vilazodone hcl</i> | 17 | YF-VAX..... | 92 |
| UPTRAVI..... | 99 | VIRACEPT | 39, 40 | YONSA | 22 |
| UPTRAVI TITRATION | 99 | VIREAD..... | 36 | <i>yuvafem</i> | 76 |
| <i>ursodiol</i> | 70 | VITRAKVI..... | 28, 29 | Z | |
| UZEDY | 35 | VIZIMPRO..... | 29 | <i>zafemy</i> | 80 |
| V | | VOCABRIA | 37 | <i>zaleplon</i> | 102 |
| <i>valacyclovir hcl</i> | 37 | VONJO..... | 29 | ZARXIO..... | 50 |
| VALCHLOR | 22 | <i>voriconazole</i> | 20 | ZAVZPRET..... | 20 |
| <i>valganciclovir hcl</i> | 36 | VOSEVI | 36 | ZEJULA | 29 |
| <i>valproic acid</i> | 13 | VOWST..... | 70 | ZELBORAF | 29 |
| <i>valsartan</i> | 51 | VRAYLAR..... | 35 | ZEMAIRA..... | 72 |
| <i>valsartan-hydrochlorothiazide</i> | 55 | <i>vyfemla</i> | 79 | <i>zenatane</i> | 63 |
| VALTOCO 10 MG DOSE..... | 14 | <i>vylibra</i> | 79 | ZENPEP | 72 |
| VALTOCO 15 MG DOSE..... | 14 | W | | ZEPOSIA..... | 62 |
| VALTOCO 20 MG DOSE..... | 14 | <i>warfarin sodium</i> | 48 | ZEPOSIA 7-DAY STARTER PACK | 62 |
| VALTOCO 5 MG DOSE..... | 14 | WELIREG..... | 24 | ZEPOSIA STARTER KIT | 62 |
| <i>vancomycin hcl</i> | 6 | <i>wixela inhub</i> | 101 | <i>zidovudine</i> | 38 |
| VANFLYTA | 28 | X | | ZIEXTENZO..... | 50 |
| VAQTA..... | 91 | XALKORI..... | 29 | ZILBRYSQ..... | 86 |
| <i>varenicline tartrate</i> | 5 | XARELTO | 48 | <i>ziprasidone hcl</i> | 35 |
| <i>varenicline tartrate (starter)</i> | 5 | XARELTO STARTER PACK | 48 | <i>ziprasidone mesylate</i> | 35 |
| <i>varenicline tartrate(continue)</i> | 5 | XATMEP..... | 24 | ZOLINZA..... | 24 |
| VARIVAX | 91 | XCOPRI | 13 | <i>zolpidem tartrate</i> | 102 |
| VAXCHORA | 91 | XCOPRI (250 MG DAILY DOSE) | 13 | <i>zolpidem tartrate er</i> | 102 |
| VAXELIS..... | 91 | XCOPRI (350 MG DAILY DOSE) | 13 | ZONISADE..... | 15 |
| <i>velivet</i> | 79 | XELJANZ | 86 | <i>zonisamide</i> | 15 |
| VEMLIDY | 36 | XELJANZ XR..... | 86 | <i>zovia 1/35 (28)</i> | 80 |
| VENCLEXTA..... | 28 | XERMELO..... | 70 | ZTALMY | 14 |
| VENCLEXTA STARTING PACK..... | 28 | XGEVA | 93 | ZTLIDO..... | 4 |
| <i>venlafaxine hcl</i> | 17 | XIFAXAN..... | 70 | | |
| <i>venlafaxine hcl er</i> | 17 | XIGDUO XR..... | 44 | | |
| VENTAVIS..... | 100 | XOLAIR..... | 101 | | |
| | | XOSPATA..... | 29 | | |

ZURZUVAE 16
ZYDELIG..... 29

ZYKADIA..... 29
ZYPREXA RELPREVV 35